



February 19, 2024

Jarrett Butchino
Citi Boces Hannibal Central Shool District
928 Cayuga Street
Hannibal, NY 13074

RE: Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Dear Jarrett Butchino:

Enclosed are the analytical results for sample(s) received by the laboratory on February 12, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Matthew T. Nemeth'.

Matthew T. Nemeth
matthew.nemeth@pacelabs.com
516-370-6042
Project Manager

Enclosures

cc: Nancy Henner, Hannibal CSD



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Pace Analytical Services Long Island

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Virginia Certification # 460302

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-1		Lab ID: 70287038001		Collected: 02/09/24 04:01		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		02/15/24 10:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-2		Lab ID: 70287038002		Collected: 02/09/24 04:01		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		02/15/24 10:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-3		Lab ID: 70287038003		Collected: 02/09/24 04:02		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.9	ug/L	1.0	1		02/15/24 10:22	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-4		Lab ID: 70287038004		Collected: 02/09/24 04:03		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-5		Lab ID: 70287038005		Collected: 02/09/24 04:04		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-6		Lab ID: 70287038006		Collected: 02/09/24 04:05		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	8.3	ug/L	1.0	1		02/15/24 10:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-7		Lab ID: 70287038007		Collected: 02/09/24 04:08		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-8		Lab ID: 70287038008		Collected: 02/09/24 04:09		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:33	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-10		Lab ID: 70287038009		Collected: 02/09/24 04:12		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:34	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-11		Lab ID: 70287038010		Collected: 02/09/24 04:14		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-12		Lab ID: 70287038011		Collected: 02/09/24 04:16		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:37	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-13		Lab ID: 70287038012		Collected: 02/09/24 04:17		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.2	ug/L	1.0	1		02/15/24 10:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-14		Lab ID: 70287038013		Collected: 02/09/24 04:20		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:43	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-15		Lab ID: 70287038014		Collected: 02/09/24 04:22		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-16		Lab ID: 70287038015		Collected: 02/09/24 04:24		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:55	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-17		Lab ID: 70287038016		Collected: 02/09/24 04:26		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:56	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-18		Lab ID: 70287038017		Collected: 02/09/24 04:28		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 10:58	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-19		Lab ID: 70287038018		Collected: 02/09/24 04:30		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-20		Lab ID: 70287038019		Collected: 02/09/24 04:33		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:01	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-21		Lab ID: 70287038020		Collected: 02/09/24 04:35		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-22		Lab ID: 70287038021		Collected: 02/09/24 04:38		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-23		Lab ID: 70287038022		Collected: 02/09/24 04:39		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-24		Lab ID: 70287038023		Collected: 02/09/24 04:41		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-25		Lab ID: 70287038024		Collected: 02/09/24 04:41		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-26		Lab ID: 70287038025		Collected: 02/09/24 04:43		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-27		Lab ID: 70287038026		Collected: 02/09/24 04:44		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:15	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-28		Lab ID: 70287038027		Collected: 02/09/24 04:46		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.0	ug/L	1.0	1		02/15/24 11:16	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-29		Lab ID: 70287038028		Collected: 02/09/24 04:46		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-30		Lab ID: 70287038029		Collected: 02/09/24 04:47		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-31		Lab ID: 70287038030		Collected: 02/09/24 04:48		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		02/15/24 11:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-32		Lab ID: 70287038031		Collected: 02/09/24 04:50		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	48.9	ug/L	1.0	1		02/15/24 11:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-33		Lab ID: 70287038032		Collected: 02/09/24 04:51		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	9.2	ug/L	1.0	1		02/15/24 11:27	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-34		Lab ID: 70287038033		Collected: 02/09/24 04:53		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:33	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-35		Lab ID: 70287038034		Collected: 02/09/24 04:54		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		02/15/24 11:37	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-36		Lab ID: 70287038035		Collected: 02/09/24 04:56		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-37		Lab ID: 70287038036		Collected: 02/09/24 04:56		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.0	ug/L	1.0	1		02/15/24 11:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-38		Lab ID: 70287038037		Collected: 02/09/24 04:58		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.3	ug/L	1.0	1		02/15/24 11:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-39		Lab ID: 70287038038		Collected: 02/09/24 04:59		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		02/15/24 11:49	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-40		Lab ID: 70287038039		Collected: 02/09/24 05:01		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-41		Lab ID: 70287038040		Collected: 02/09/24 05:02		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:52	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-42		Lab ID: 70287038041	Collected: 02/09/24 05:04	Received: 02/12/24 09:29	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/15/24 11:54	7439-92-1	

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-43		Lab ID: 70287038042		Collected: 02/09/24 05:05		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 11:55	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-44		Lab ID: 70287038043		Collected: 02/09/24 05:07		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.7	ug/L	1.0	1		02/15/24 12:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-45		Lab ID: 70287038044		Collected: 02/09/24 05:08		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	2.7	ug/L	1.0	1		02/15/24 12:01	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-46		Lab ID: 70287038045		Collected: 02/09/24 05:10		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		02/15/24 12:03	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-47		Lab ID: 70287038046		Collected: 02/09/24 05:10		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.0	ug/L	1.0	1		02/15/24 12:04	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-48		Lab ID: 70287038047		Collected: 02/09/24 05:12		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-49		Lab ID: 70287038048		Collected: 02/09/24 05:12		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:07	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-50		Lab ID: 70287038049		Collected: 02/09/24 05:13		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-51		Lab ID: 70287038050		Collected: 02/09/24 05:14		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:10	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-52		Lab ID: 70287038051		Collected: 02/09/24 05:15		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-53		Lab ID: 70287038052		Collected: 02/09/24 05:17		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-54		Lab ID: 70287038053		Collected: 02/09/24 05:17		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-55		Lab ID: 70287038054		Collected: 02/09/24 05:19		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-56		Lab ID: 70287038055		Collected: 02/09/24 05:19		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-57		Lab ID: 70287038056		Collected: 02/09/24 05:20		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-58		Lab ID: 70287038057		Collected: 02/09/24 05:21		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-59		Lab ID: 70287038058		Collected: 02/09/24 05:21		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:37	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-60		Lab ID: 70287038059		Collected: 02/09/24 05:24		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-61		Lab ID: 70287038060		Collected: 02/09/24 05:25		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:40	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-62		Lab ID: 70287038061		Collected: 02/09/24 05:27		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.4	ug/L	1.0	1		02/15/24 12:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-63		Lab ID: 70287038062		Collected: 02/09/24 05:27		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:43	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-64		Lab ID: 70287038063		Collected: 02/09/24 05:30		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:45	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-65		Lab ID: 70287038064		Collected: 02/09/24 05:30		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:46	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-66		Lab ID: 70287038065		Collected: 02/09/24 05:32		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-67		Lab ID: 70287038066		Collected: 02/09/24 05:32		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:49	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-68		Lab ID: 70287038067		Collected: 02/09/24 05:34		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.3	ug/L	1.0	1		02/15/24 12:54	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-69		Lab ID: 70287038068		Collected: 02/09/24 05:34		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.8	ug/L	1.0	1		02/15/24 12:55	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-70		Lab ID: 70287038069		Collected: 02/09/24 05:36		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:57	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-71		Lab ID: 70287038070		Collected: 02/09/24 05:37		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 12:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-72		Lab ID: 70287038071		Collected: 02/09/24 05:38		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-73		Lab ID: 70287038072		Collected: 02/09/24 05:39		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:02	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-74		Lab ID: 70287038073		Collected: 02/09/24 05:41		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-75		Lab ID: 70287038074		Collected: 02/09/24 05:41		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:13	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-76		Lab ID: 70287038075		Collected: 02/09/24 05:43		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-77		Lab ID: 70287038076		Collected: 02/09/24 05:43		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:19	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-78		Lab ID: 70287038077		Collected: 02/09/24 05:45		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-79		Lab ID: 70287038078		Collected: 02/09/24 05:45		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:22	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-80		Lab ID: 70287038079		Collected: 02/09/24 05:47		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:24	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-81		Lab ID: 70287038080		Collected: 02/09/24 05:47		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:25	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-82		Lab ID: 70287038081		Collected: 02/09/24 05:47		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:30	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-83		Lab ID: 70287038082		Collected: 02/09/24 05:49		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:31	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-84		Lab ID: 70287038083		Collected: 02/09/24 05:50		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:33	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-85		Lab ID: 70287038084		Collected: 02/09/24 05:50		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:35	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-86		Lab ID: 70287038085		Collected: 02/09/24 05:50		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:36	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-87		Lab ID: 70287038086		Collected: 02/09/24 05:55		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:38	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-88		Lab ID: 70287038087		Collected: 02/09/24 05:57		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:39	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-89		Lab ID: 70287038088		Collected: 02/09/24 05:57		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:41	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-90		Lab ID: 70287038089		Collected: 02/09/24 05:59		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:42	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-91		Lab ID: 70287038090		Collected: 02/09/24 06:00		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:44	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-92		Lab ID: 70287038091		Collected: 02/09/24 06:02		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:48	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-93		Lab ID: 70287038092		Collected: 02/09/24 06:02		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-94		Lab ID: 70287038093		Collected: 02/09/24 06:04		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:54	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-95		Lab ID: 70287038094		Collected: 02/09/24 06:04		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 13:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-96		Lab ID: 70287038095		Collected: 02/09/24 06:06		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:06	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-97		Lab ID: 70287038096		Collected: 02/09/24 06:07		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-98		Lab ID: 70287038097		Collected: 02/09/24 06:08		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.9	ug/L	1.0	1		02/15/24 14:09	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-99		Lab ID: 70287038098		Collected: 02/09/24 06:08		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	33.1	ug/L	1.0	1		02/15/24 14:11	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-100		Lab ID: 70287038099		Collected: 02/09/24 06:10		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-101		Lab ID: 70287038100		Collected: 02/09/24 06:11		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:14	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-102		Lab ID: 70287038101	Collected: 02/09/24 06:12	Received: 02/12/24 09:29	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		02/15/24 14:15	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-103		Lab ID: 70287038102		Collected: 02/09/24 06:12		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-104		Lab ID: 70287038103		Collected: 02/09/24 06:14		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	11.8	ug/L	1.0	1		02/15/24 14:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-105		Lab ID: 70287038104		Collected: 02/09/24 06:14		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	12.5	ug/L	1.0	1		02/15/24 14:20	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-106		Lab ID: 70287038105		Collected: 02/09/24 06:16		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:50	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-107		Lab ID: 70287038106		Collected: 02/09/24 06:16		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:51	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-108		Lab ID: 70287038107		Collected: 02/09/24 06:18		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:53	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-109		Lab ID: 70287038108		Collected: 02/09/24 06:19		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:54	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-110		Lab ID: 70287038109		Collected: 02/09/24 06:20		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:56	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-111		Lab ID: 70287038110		Collected: 02/09/24 06:21		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:57	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-112		Lab ID: 70287038111		Collected: 02/09/24 06:22		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 14:59	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-113		Lab ID: 70287038112		Collected: 02/09/24 06:23		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 15:00	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-114		Lab ID: 70287038113		Collected: 02/09/24 06:24		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 15:08	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-115		Lab ID: 70287038114		Collected: 02/09/24 06:24		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 15:12	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-116		Lab ID: 70287038115		Collected: 02/09/24 06:26		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 15:17	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-117		Lab ID: 70287038116		Collected: 02/09/24 06:27		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 15:18	7439-92-1		

REPORT OF LABORATORY ANALYSIS



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-118		Lab ID: 70287038117		Collected: 02/09/24 06:30		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 15:20	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Sample: FES-119		Lab ID: 70287038118		Collected: 02/09/24 06:31		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 15:21	7439-92-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: LEADS-HANNIBAL CSD
Pace Project No.: 70287038

Sample: FES-120		Lab ID: 70287038119		Collected: 02/09/24 06:31		Received: 02/12/24 09:29		Matrix: Drinking Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8							
		Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		02/15/24 15:26	7439-92-1		

REPORT OF LABORATORY ANALYSIS



QUALITY CONTROL DATA

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

QC Batch:	337476	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70287038001, 70287038002, 70287038003, 70287038004, 70287038005, 70287038006, 70287038007, 70287038008, 70287038009, 70287038010, 70287038011, 70287038012		

METHOD BLANK:	1735457	Matrix:	Water
Associated Lab Samples:	70287038001, 70287038002, 70287038003, 70287038004, 70287038005, 70287038006, 70287038007, 70287038008, 70287038009, 70287038010, 70287038011, 70287038012		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/15/24 09:54	

LABORATORY CONTROL SAMPLE:	1735458					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.3	103	85-115	

MATRIX SPIKE SAMPLE:		1735461					
		70287189001	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<2.0	100	186	184	70-130	M1

MATRIX SPIKE SAMPLE:		1735463					
		70287189002	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<2.0	100	187	187	70-130	M1

SAMPLE DUPLICATE:	1735460				
Parameter	Units	70287189001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<2.0	<2.0		

SAMPLE DUPLICATE:	1735462				
Parameter	Units	70287189002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<2.0	<2.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

QC Batch:	337477	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70287038013, 70287038014, 70287038015, 70287038016, 70287038017, 70287038018, 70287038019, 70287038020, 70287038021, 70287038022, 70287038023, 70287038024, 70287038025, 70287038026, 70287038027, 70287038028, 70287038029, 70287038030, 70287038031, 70287038032		

METHOD BLANK: 1735464

Matrix: Water

Associated Lab Samples: 70287038013, 70287038014, 70287038015, 70287038016, 70287038017, 70287038018, 70287038019, 70287038020, 70287038021, 70287038022, 70287038023, 70287038024, 70287038025, 70287038026, 70287038027, 70287038028, 70287038029, 70287038030, 70287038031, 70287038032

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/15/24 10:40	

LABORATORY CONTROL SAMPLE: 1735465

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.6	101	85-115	

MATRIX SPIKE SAMPLE: 1735467

Parameter	Units	70287038013 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	52.8	106	70-130	

MATRIX SPIKE SAMPLE: 1735469

Parameter	Units	70287038014 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	49.7	98	70-130	

SAMPLE DUPLICATE: 1735466

Parameter	Units	70287038013 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1735468

Parameter	Units	70287038014 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

QC Batch:	337484	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70287038033, 70287038034, 70287038035, 70287038036, 70287038037, 70287038038, 70287038039, 70287038040, 70287038041, 70287038042, 70287038043, 70287038044, 70287038045, 70287038046, 70287038047, 70287038048, 70287038049, 70287038050, 70287038051, 70287038052		

METHOD BLANK:	1735486	Matrix:	Water
Associated Lab Samples:	70287038033, 70287038034, 70287038035, 70287038036, 70287038037, 70287038038, 70287038039, 70287038040, 70287038041, 70287038042, 70287038043, 70287038044, 70287038045, 70287038046, 70287038047, 70287038048, 70287038049, 70287038050, 70287038051, 70287038052		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/15/24 11:30	

LABORATORY CONTROL SAMPLE:	1735487					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.3	101	85-115	

MATRIX SPIKE SAMPLE:		1735489					
		70287038033	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	51.8	102	70-130	

MATRIX SPIKE SAMPLE:		1735491					
		70287038034	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	1.5	50	53.7	104	70-130	

SAMPLE DUPLICATE:	1735488				
Parameter	Units	70287038033 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1735490				
Parameter	Units	70287038034 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.5	1.5	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

QC Batch:	337485	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70287038053, 70287038054, 70287038055, 70287038056, 70287038057, 70287038058, 70287038059, 70287038060, 70287038061, 70287038062, 70287038063, 70287038064, 70287038065, 70287038066, 70287038067, 70287038068, 70287038069, 70287038070, 70287038071, 70287038072		

METHOD BLANK:	1735492	Matrix:	Water
Associated Lab Samples:	70287038053, 70287038054, 70287038055, 70287038056, 70287038057, 70287038058, 70287038059, 70287038060, 70287038061, 70287038062, 70287038063, 70287038064, 70287038065, 70287038066, 70287038067, 70287038068, 70287038069, 70287038070, 70287038071, 70287038072		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/15/24 12:18	

LABORATORY CONTROL SAMPLE:	1735493					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.0	102	85-115	

MATRIX SPIKE SAMPLE:		1735495					
		70287038053	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	47.9	96	70-130	

MATRIX SPIKE SAMPLE:		1735497					
		70287038054	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	47.7	94	70-130	

SAMPLE DUPLICATE:	1735494				
Parameter	Units	70287038053 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1735496				
Parameter	Units	70287038054 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

QC Batch:	337486	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70287038073, 70287038074, 70287038075, 70287038076, 70287038077, 70287038078, 70287038079, 70287038080, 70287038081, 70287038082, 70287038083, 70287038084, 70287038085, 70287038086, 70287038087, 70287038088, 70287038089, 70287038090, 70287038091, 70287038092		

METHOD BLANK:	1735498	Matrix:	Water
Associated Lab Samples:	70287038073, 70287038074, 70287038075, 70287038076, 70287038077, 70287038078, 70287038079, 70287038080, 70287038081, 70287038082, 70287038083, 70287038084, 70287038085, 70287038086, 70287038087, 70287038088, 70287038089, 70287038090, 70287038091, 70287038092		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/15/24 13:03	

LABORATORY CONTROL SAMPLE:	1735499					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.3	103	85-115	

MATRIX SPIKE SAMPLE:		1735501					
		70287038073	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	49.3	98	70-130	

MATRIX SPIKE SAMPLE:		1735503					
		70287038074	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	50.9	101	70-130	

SAMPLE DUPLICATE:	1735500				
Parameter	Units	70287038073 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1735502				
Parameter	Units	70287038074 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

QC Batch:	337487	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70287038093, 70287038094, 70287038095, 70287038096, 70287038097, 70287038098, 70287038099, 70287038100, 70287038101, 70287038102, 70287038103, 70287038104, 70287038105, 70287038106, 70287038107, 70287038108, 70287038109, 70287038110, 70287038111, 70287038112		

METHOD BLANK:	1735504	Matrix:	Water
Associated Lab Samples:	70287038093, 70287038094, 70287038095, 70287038096, 70287038097, 70287038098, 70287038099, 70287038100, 70287038101, 70287038102, 70287038103, 70287038104, 70287038105, 70287038106, 70287038107, 70287038108, 70287038109, 70287038110, 70287038111, 70287038112		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/15/24 13:51	

LABORATORY CONTROL SAMPLE:	1735505					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.4	103	85-115	

MATRIX SPIKE SAMPLE:		1735507					
		70287038093	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	49.8	99	70-130	

MATRIX SPIKE SAMPLE:		1735509					
		70287038094	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Lead	ug/L	<1.0	50	49.0	98	70-130	

SAMPLE DUPLICATE:	1735506				
Parameter	Units	70287038093 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE:	1735508				
Parameter	Units	70287038094 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

QC Batch: 337488

Analysis Method: EPA 200.8

QC Batch Method: EPA 200.8

Analysis Description: 200.8 MET No Prep Drinking Water

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70287038113, 70287038114, 70287038115, 70287038116, 70287038117, 70287038118, 70287038119

METHOD BLANK: 1735510

Matrix: Water

Associated Lab Samples: 70287038113, 70287038114, 70287038115, 70287038116, 70287038117, 70287038118, 70287038119

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	02/15/24 15:02	

LABORATORY CONTROL SAMPLE: 1735511

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.6	103	85-115	

MATRIX SPIKE SAMPLE: 1735513

Parameter	Units	70287038113 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	51.6	103	70-130	

MATRIX SPIKE SAMPLE: 1735515

Parameter	Units	70287038114 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	47.7	95	70-130	

SAMPLE DUPLICATE: 1735512

Parameter	Units	70287038113 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 1735514

Parameter	Units	70287038114 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70287038001	FES-1	EPA 200.8	337476		
70287038002	FES-2	EPA 200.8	337476		
70287038003	FES-3	EPA 200.8	337476		
70287038004	FES-4	EPA 200.8	337476		
70287038005	FES-5	EPA 200.8	337476		
70287038006	FES-6	EPA 200.8	337476		
70287038007	FES-7	EPA 200.8	337476		
70287038008	FES-8	EPA 200.8	337476		
70287038009	FES-10	EPA 200.8	337476		
70287038010	FES-11	EPA 200.8	337476		
70287038011	FES-12	EPA 200.8	337476		
70287038012	FES-13	EPA 200.8	337476		
70287038013	FES-14	EPA 200.8	337477		
70287038014	FES-15	EPA 200.8	337477		
70287038015	FES-16	EPA 200.8	337477		
70287038016	FES-17	EPA 200.8	337477		
70287038017	FES-18	EPA 200.8	337477		
70287038018	FES-19	EPA 200.8	337477		
70287038019	FES-20	EPA 200.8	337477		
70287038020	FES-21	EPA 200.8	337477		
70287038021	FES-22	EPA 200.8	337477		
70287038022	FES-23	EPA 200.8	337477		
70287038023	FES-24	EPA 200.8	337477		
70287038024	FES-25	EPA 200.8	337477		
70287038025	FES-26	EPA 200.8	337477		
70287038026	FES-27	EPA 200.8	337477		
70287038027	FES-28	EPA 200.8	337477		
70287038028	FES-29	EPA 200.8	337477		
70287038029	FES-30	EPA 200.8	337477		
70287038030	FES-31	EPA 200.8	337477		
70287038031	FES-32	EPA 200.8	337477		
70287038032	FES-33	EPA 200.8	337477		
70287038033	FES-34	EPA 200.8	337484		
70287038034	FES-35	EPA 200.8	337484		
70287038035	FES-36	EPA 200.8	337484		
70287038036	FES-37	EPA 200.8	337484		
70287038037	FES-38	EPA 200.8	337484		
70287038038	FES-39	EPA 200.8	337484		
70287038039	FES-40	EPA 200.8	337484		
70287038040	FES-41	EPA 200.8	337484		
70287038041	FES-42	EPA 200.8	337484		
70287038042	FES-43	EPA 200.8	337484		
70287038043	FES-44	EPA 200.8	337484		
70287038044	FES-45	EPA 200.8	337484		
70287038045	FES-46	EPA 200.8	337484		
70287038046	FES-47	EPA 200.8	337484		
70287038047	FES-48	EPA 200.8	337484		
70287038048	FES-49	EPA 200.8	337484		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70287038049	FES-50	EPA 200.8	337484		
70287038050	FES-51	EPA 200.8	337484		
70287038051	FES-52	EPA 200.8	337484		
70287038052	FES-53	EPA 200.8	337484		
70287038053	FES-54	EPA 200.8	337485		
70287038054	FES-55	EPA 200.8	337485		
70287038055	FES-56	EPA 200.8	337485		
70287038056	FES-57	EPA 200.8	337485		
70287038057	FES-58	EPA 200.8	337485		
70287038058	FES-59	EPA 200.8	337485		
70287038059	FES-60	EPA 200.8	337485		
70287038060	FES-61	EPA 200.8	337485		
70287038061	FES-62	EPA 200.8	337485		
70287038062	FES-63	EPA 200.8	337485		
70287038063	FES-64	EPA 200.8	337485		
70287038064	FES-65	EPA 200.8	337485		
70287038065	FES-66	EPA 200.8	337485		
70287038066	FES-67	EPA 200.8	337485		
70287038067	FES-68	EPA 200.8	337485		
70287038068	FES-69	EPA 200.8	337485		
70287038069	FES-70	EPA 200.8	337485		
70287038070	FES-71	EPA 200.8	337485		
70287038071	FES-72	EPA 200.8	337485		
70287038072	FES-73	EPA 200.8	337485		
70287038073	FES-74	EPA 200.8	337486		
70287038074	FES-75	EPA 200.8	337486		
70287038075	FES-76	EPA 200.8	337486		
70287038076	FES-77	EPA 200.8	337486		
70287038077	FES-78	EPA 200.8	337486		
70287038078	FES-79	EPA 200.8	337486		
70287038079	FES-80	EPA 200.8	337486		
70287038080	FES-81	EPA 200.8	337486		
70287038081	FES-82	EPA 200.8	337486		
70287038082	FES-83	EPA 200.8	337486		
70287038083	FES-84	EPA 200.8	337486		
70287038084	FES-85	EPA 200.8	337486		
70287038085	FES-86	EPA 200.8	337486		
70287038086	FES-87	EPA 200.8	337486		
70287038087	FES-88	EPA 200.8	337486		
70287038088	FES-89	EPA 200.8	337486		
70287038089	FES-90	EPA 200.8	337486		
70287038090	FES-91	EPA 200.8	337486		
70287038091	FES-92	EPA 200.8	337486		
70287038092	FES-93	EPA 200.8	337486		
70287038093	FES-94	EPA 200.8	337487		
70287038094	FES-95	EPA 200.8	337487		
70287038095	FES-96	EPA 200.8	337487		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LEADS-HANNIBAL CSD

Pace Project No.: 70287038

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70287038096	FES-97	EPA 200.8	337487		
70287038097	FES-98	EPA 200.8	337487		
70287038098	FES-99	EPA 200.8	337487		
70287038099	FES-100	EPA 200.8	337487		
70287038100	FES-101	EPA 200.8	337487		
70287038101	FES-102	EPA 200.8	337487		
70287038102	FES-103	EPA 200.8	337487		
70287038103	FES-104	EPA 200.8	337487		
70287038104	FES-105	EPA 200.8	337487		
70287038105	FES-106	EPA 200.8	337487		
70287038106	FES-107	EPA 200.8	337487		
70287038107	FES-108	EPA 200.8	337487		
70287038108	FES-109	EPA 200.8	337487		
70287038109	FES-110	EPA 200.8	337487		
70287038110	FES-111	EPA 200.8	337487		
70287038111	FES-112	EPA 200.8	337487		
70287038112	FES-113	EPA 200.8	337487		
70287038113	FES-114	EPA 200.8	337488		
70287038114	FES-115	EPA 200.8	337488		
70287038115	FES-116	EPA 200.8	337488		
70287038116	FES-117	EPA 200.8	337488		
70287038117	FES-118	EPA 200.8	337488		
70287038118	FES-119	EPA 200.8	337488		
70287038119	FES-120	EPA 200.8	337488		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name:	Citi Boces Hannibal Central School District	Contact/Report To:	Jarrett Butchino								
Street Address:	928 Cayuga Street, Hannibal, NY 13074	Phone #:	(315)564-8258								
		E-Mail:	jbutchin@hannibalcsd.org								
		Cc E-Mail:									
Customer Project #:		Invoice To:	Nancy Hemmer								
Project Name:	LEADS - HANNIBAL CSD	Invoice E-Mail:	nhemmer@hannibalcsd.org								
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):									
		Quote #:									
Time Zone Collected:	[] AK [] PT [] MT [] CT [] ET	County / State origin of sample(s):	New York								
Data Deliverables:	Regulatory Program (DW, RCRA, etc.) as applicable:	Reportable	[] Yes [] No								
[] Level II [] Level III [] Level IV											
[] EQUIS											
[] Other											
* Matrix Codes (Insert in Matrix box Below): Drinking Water (WW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)											
Customer Sample ID	Matrix *	Comp / Grab	Composite Start	Time	Date	Time	End	# Cont.	Res. Chlorine	Results	Units
FES-31	DW	G	2-9-24	4:48 AM	2-9-24	4:48 AM					
FES-32	DW	G	2-9-24	4:50 AM	2-9-24	4:50 AM					
FES-33	DW	G	2-9-24	4:50 AM	2-9-24	4:51 AM					
FES-34	DW	G	2-9-24	4:53 AM	2-9-24	4:53 AM					
FES-35	DW	G	2-9-24	4:54 AM	2-9-24	4:54 AM					
FES-36	DW	G	2-9-24	4:56 AM	2-9-24	4:56 AM					
FES-37	DW	G	2-9-24	4:56 AM	2-9-24	4:56 AM					
FES-38	DW	G	2-9-24	4:58 AM	2-9-24	4:58 AM					
FES-39	DW	G	2-9-24	4:58 AM	2-9-24	4:59 AM					
FES-40	DW	G	2-9-24	5:06 AM	2-9-24	5:06 AM					
Additional Instructions from Page*:											
Collected By: Jarrett H Butchino (Printed Name) Signature: Jarrett Butchino											
Received by/Company: (Signature) ASE PAGE 13											
Received by/Company: (Signature)											
Received by/Company: (Signature)											
Received by/Company: (Signature)											
Received by/Company: (Signature)											



Scan QR Code for instructions

Company Name: Citi Boces Hannibal Central School District
Street Address: 928 Cayuga Street, Hannibal, NY 13074
Contact/Report To: Jarrett Butchino
Phone #: (315)564-8258
E-Mail: jbutchin@hannibalcsd.org
Cc E-Mail:
Customer Project #: LEADS - HANNIBAL CSD
Project Name:
Site Collection Info/Facility ID (as applicable):
Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Data Deliverables:
[] Level II [] Level III [] Level IV
[] EQUIS
[] Other
Date Results Requested:
Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No
County / State origin of sample(s): New York
Invoice To: Nancy Henner
Invoice E-Mail: nhenner@hannibalcsd.org
Purchase Order # (if applicable):
Quote #:

Customer Sample ID	Matrix *	Composite Start		Collected or Composite End		# Cont.	Res. Chlorine	
		Date	Time	Date	Time		Results	Units
FES-51	DW	2-9-24	5:14 AM	2-9-24	5:14 PM			
FES-52	DW	2-9-24	5:15 AM	2-9-24	5:15 PM			
FES-53	DW	2-9-24	5:16 AM	2-9-24	5:17 PM			
FES-54	DW	2-9-24	5:17 AM	2-9-24	5:17 PM			
FES-55	DW	2-9-24	5:18 AM	2-9-24	5:19 PM			
FES-56	DW	2-9-24	5:19 AM	2-9-24	5:19 PM			
FES-57	DW	2-9-24	5:19 AM	2-9-24	5:20 PM			
FES-58	DW	2-9-24	5:21 AM	2-9-24	5:21 PM			
FES-59	DW	2-9-24	5:22 AM	2-9-24	5:22 PM			
FES-60	DW	2-9-24	5:24 AM	2-9-24	5:24 PM			

Additional Instructions from Pace®:
Collected By: Jarrett Butchino
Signature: Jarrett Butchino
Date/Time:
Relinquished by/Company: (Signature)
Date/Time:
Relinquished by/Company: (Signature)
Date/Time:
Relinquished by/Company: (Signature)
Date/Time:
Relinquished by/Company: (Signature)
Date/Time:

Specify Container Size **
Identify Container Preservative Type***
Analysis Requested
Preservation non-conformance identified for sample:
Proj. Mgr: Matthew Nemeth
AcctNum / Client ID:
Table #: 10545
Profile / Template: EZ 3068074
Prelog / Bottle Ord. ID:
Sample Comment
200.8 MET ICPMS Drinking Water
X
X
X
X
X
X
X
X
X
X
X
X

Customer Remarks / Special Conditions / Possible Hazards:
Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C) On Ice:
Tracking Number:
Date/Time: 2/12/24 9:29
Date/Time:
Delivered by: [] In-Person [] Courier
Signature: J. FedEX [] UPS [] Other
Page: 1 of 1



Scan QR Code for instructions

Company Name: Citi Boces Hannibal Central School District		Contact/Report To: Jarrett Butchino	
Street Address: 928 Cayuga Street, Hannibal, NY 13074		Phone #: (315)564-8258	
		E-Mail: jbutchin@hannibalcsd.org	
		Cc E-Mail:	
Customer Project #: LEADS - HANNIBAL CSD		Invoice To: Nancy Henner	
Project Name:		Invoice E-Mail: nhenner@hannibalcsd.org	
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):	
Time Zone Collected: [] AK [] PT [] MT [] CT [] ET		County / State origin of sample(s): New York	
Data Deliverables:		Reportable [] Yes [] No	
[] Level II [] Level III [] Level IV		Rush (Pre-approval required):	
[] EQUIS		[] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other	
[] Other		Field Filtered (if applicable): [] Yes [] No	
Date Results Requested:		Analysis:	
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Blosolid (BS), Other (OT)			
Customer Sample ID		Composite Start	
Matrix *		Date	
Comp / Grab		Time	
Collected or Composite End		Date	
#		Time	
Cont.		Results	
Units		Res. Chlorine	
FES-61		DW G 2-9-24 5:24 AM 2-9-24 5:24 AM	
FES-62		DW G 2-9-24 5:24 AM 2-9-24 5:24 AM	
FES-63		DW G 2-9-24 5:24 AM 2-9-24 5:24 AM	
FES-64		DW G 2-9-24 5:30 AM 2-9-24 5:30 AM	
FES-65		DW G 2-9-24 5:30 AM 2-9-24 5:30 AM	
FES-66		DW G 2-9-24 5:31 AM 2-9-24 5:32 AM	
FES-67		DW G 2-9-24 5:32 AM 2-9-24 5:32 AM	
FES-68		DW G 2-9-24 5:34 AM 2-9-24 5:34 AM	
FES-69		DW G 2-9-24 5:34 AM 2-9-24 5:34 AM	
FES-70		DW G 2-9-24 5:36 AM 2-9-24 5:36 AM	
Additional Instructions from Pace®:		Collected By: Jarrett Butchino	
		Signature: Jarrett Butchino	
Relinquished by/Company: (Signature)		Date/Time: 2/12/24 9:20 AM	
Relinquished by/Company: (Signature)		Date/Time:	
Relinquished by/Company: (Signature)		Date/Time:	
Relinquished by/Company: (Signature)		Date/Time:	

Customer Remarks / Special Conditions / Possible Hazards:	
# Coolers:	Thermometer ID:
Obs. Temp. (°C):	Correction Factor (°C):
Corrected Temp. (°C)	On Ice:
Tracking Number:	
Date/Time: 2/12/24 9:20 AM	
Date/Time:	
Date/Time:	
Date/Time:	
Delivered by: [] In-Person [] Courier	
[] FedEx [] UPS [] Other	
Page: 1 of 1	

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/LogIn Label Here



Contact/Report To: Jarrett Butchino Phone #: (315)564-8258 E-Mail: jbutchin@hannibalcsd.org Cc E-Mail:						**Container Size: (1) 1L, (2) 500mL, (3) 250mL, (4) 125mL, (5) 100mL, (6) 40mL vial, (7) EnCore, (8) TerraCore, (9) 90mL, (10) Other					
Company Name: Citi Boces Hannibal Central School District Street Address: 928 Cayuga Street, Hannibal, NY 13074						Specify Container Size **					
Customer Project #: LEADS - HANNIBAL CSD						Identify Container Preservative Type***					
Invoice To: Nancy Henner Invoice E-Mail: nhenner@hannibalcsd.org Purchase Order # (if applicable): Quote #:						*** Preservative Types: (1) None, (2) HNO3, (3) H2SO4, (4) HCl, (5) NaOH, (6) Zn Acetate, (7) NaHSO4, (8) Sod. Thiosulfate, (9) Ascorbic Acid, (10) MeOH, (11) Other					
Time Zone Collected: [] AK [] PT [] MT [] CT [] ET Data Deliverables: [] Level II [] Level III [] Level IV [] EQUIS						Analysis Requested					
Rush (Pre-approval required): [] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other						Lab Use Only					
Date Results Requested: [] Other						Proj. Mgr: Matthew Nemeth AcctNum / Client ID: Table #: Profile / Template: 10545 Prelg / Bottle Ord. ID: EZ 3068074					
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Leachate (LL), Biosolid (BS), Other (OT)						Preservation non-conformance identified for sample.					
Customer Sample ID						200.8 MET ICPMS Drinking Water					
FES-71						X					
FES-72						X					
FES-73						X					
FES-74						X					
FES-75						X					
FES-76						X					
FES-77						X					
FES-78						X					
FES-79						X					
FES-80						X					
Additional Instructions from Pace*:						Customer Remarks / Special Conditions / Possible Hazards:					
Relinquished by/Company: (Signature) Date/Time:						# Coolers: Thermometer ID: Correction Factor (°C): Obs. Temp. (°C) Corrected Temp. (°C) On Ice:					
Relinquished by/Company: (Signature) Date/Time:						Tracking Number: 2117 24 9179					
Relinquished by/Company: (Signature) Date/Time:						Delivered by: [] In-Person [] Courier					
Relinquished by/Company: (Signature) Date/Time:						Date/Time: Date/Time: Date/Time: Date/Time:					
Relinquished by/Company: (Signature) Date/Time:						Page: 1 of 1					

Pace® Location Requested (City/State):
Pace Analytical Long Island NY
575 Broad Hollow Rd, Melville, NY 11747

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name:	Citi Boces Hannibal Central School District	Contact/Report To:	Jarrett Butchino							
Street Address:	928 Cayuga Street, Hannibal, NY 13074	Phone #:	(315)564-8258							
		E-Mail:	jbutchin@hannibalscd.org							
		Cc E-Mail:								
Customer Project #:		Invoice To:	Nancy Henner							
Project Name:	LEADS - HANNIBAL CSD	Invoice E-Mail:	nhenner@hannibalscd.org							
Site Collection Info/Facility ID (as applicable):		Purchase Order # (if applicable):								
		Quote #:								
Time Zone Collected:	[] AK [] PT [] MT [] CT [] ET	County / State origin of sample(s):	New York							
Data Deliverables:	Regulatory Program (DW, RCRA, etc.) as applicable:	Reportable	[] Yes [] No							
[] Level II [] Level III [] Level IV		Rush (Pre-approval required):	DW PWSID # or WW Permit # as applicable:							
[] EQUIS		[] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other _____								
[] Other _____		Date Results Requested:	Field Filtered (if applicable): [] Yes [] No Analysis:							
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)										
Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Res. Chlorine Results	Units	
FES-81	Dw	G	2-9-24	5:47 AM	2-9-24	5:47 AM				
FES-82	Dw	G	2-9-24	5:47 AM	2-9-24	5:47 AM				
FES-83	Dw	G	2-9-24	5:49 AM	2-9-24	5:49 AM				
FES-84	Dw	G	2-9-24	5:49 AM	2-9-24	5:50 AM				
FES-85	Dw	G	2-9-24	5:50 AM	2-9-24	5:50 AM				
FES-86	Dw	G	2-9-24	5:55 AM	2-9-24	5:55 AM				
FES-87	Dw	G	2-9-24	5:55 AM	2-9-24	5:55 AM				
FES-88	Dw	G	2-9-24	5:56 AM	2-9-24	5:57 AM				
FES-89	Dw	G	2-9-24	5:57 AM	2-9-24	5:57 AM				
FES-90	Dw	G	2-9-24	5:59 AM	2-9-24	5:59 AM				
Additional Instructions from Pace*: Collected By: (Printed Name) Signature: Jarrett Butchino										
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature) ACE RACE LLC						
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)						
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)						
Relinquished by/Company: (Signature)		Date/Time:		Received by/Company: (Signature)						

Page 141 of 141

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here



Scan QR Code for instructions

Company Name: Citi Boces Hamibal Central School District Street Address: 928 Cayuga Street, Hannibal, NY 13074						Contact/Report To: Jarrett Butchino Phone #: (315)564-8258 E-Mail: jbutchin@hannibalcsd.org Cc E-Mail:											
Customer Project #: LEADS - HANNIBAL CSD						Invoice To: Nancy Henner Invoice E-Mail: nhenner@hannibalcsd.org Purchase Order # (if applicable): Quote #:											
Site Collection Info/Facility ID (as applicable):						County / State origin of sample(s): New York											
Time Zone Collected: [] AK [] PT [] MT [] CT [] ET						Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No											
Data Deliverables: [] Level II [] Level III [] Level IV [] EQUIS [] Other						Rush (Pre-approval required): [] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other											
Date Results Requested: [] Other						Field Filtered (If applicable): [] Yes [] No											
Analysis: * Matrix Codes (Insert in Matrix box below): Drinking Water (GW), Ground Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW)/Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)																	
Customer Sample ID						# Res. Chlorine											
Matrix *						Comp / Grab		Composite Start		Collected or Composite End		Cont.		Results		Units	
FES-101						DW G	2-9-24	6:10 AM	2-9-24	6:15 PM							
FES-102						DW G	2-9-24	6:14 AM	2-9-24	6:19 PM							
FES-103						DW G	2-9-24	6:12 AM	2-9-24	6:17 PM							
FES-104						DW G	2-9-24	6:13 AM	2-9-24	6:14 PM							
FES-105						DW G	2-9-24	6:14 AM	2-9-24	6:14 PM							
FES-106						DW G	2-9-24	6:16 AM	2-9-24	6:16 PM							
FES-107						DW G	2-9-24	6:16 AM	2-9-24	6:16 PM							
FES-108						DW G	2-9-24	6:18 AM	2-9-24	6:19 PM							
FES-109						DW G	2-9-24	6:18 AM	2-9-24	6:19 PM							
FES-110						DW G	2-9-24	6:20 AM	2-9-24	6:20 PM							
Additional Instructions from Pace®:						Collected By: Jarrett Butchino (Printed Name) Signature: Jarrett Butchino											
Relinquished by/Company: (Signature)						Received by/Company: (Signature) RSE RACE L2											
Relinquished by/Company: (Signature)						Received by/Company: (Signature)											
Relinquished by/Company: (Signature)						Received by/Company: (Signature)											
Relinquished by/Company: (Signature)						Received by/Company: (Signature)											

Page 143 of

☐ Multiday Project

of

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

IOC	
BP1U	1L unpreserved plastic
BP3N*	250mL HNO3 plastic
BP3C	250mL Sodium Hydroxide
AG2U	500mL unpres amber glass

Can also be a DPIN

Matrix	
WT	Water
SL	Solid
NAL	Non-aqueous Liquid
OL	Oil
WP	Wipe
DW	Drinking Water

SOC	
VG9T	40mL Na Thio amber vial
DG9A	40mL Acetic acid making Acid vials
DG9V	Citrate/Na Thiosulfate 40mL
DG8T	Na Thiosulfate 60mL vial
DG8M	Mono/Citrate/Na Thio 60mL
AG3U	250mL Unpres amber glass
AG3T	Na Thiosulfate 250mL bottle
BP1B	Na Thiosulfate Amber bottle
AG1A	Na Thiosulfate 1L Amber
AG1B	525 mL Chemical Element

Sender Initials
ASZ

Additional Comments:

	District	Project	ID/Locations
1	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KIT.3BAY.SINK.FAUCET.LH
2	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KIT.3BAY.SINK.FAUCET.RH
3	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KIT.HANDWASH.SINK.FAUCET
4	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KIT.PREP.SINK1.FAUCET
5	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KIT.PREP.SINK2.FAUCET
6	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KIT.STEAM.COOKER.FAUCET
7	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.20.FAUCET
8	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.20.FOUNTAIN
9	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.20.FOUNTAIN
10	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.10.FAUCET
11	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.10.FOUNTAIN
12	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.30.FAUCET
13	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.40.FAUCET
14	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CAFE.FOUNTAIN
15	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.107.FAUCET
16	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.106.FAUCET
17	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.105.FAUCET
18	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.104.FAUCET
19	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.103.FAUCET
20	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.102.FAUCET
21	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.102.FOUNTAIN
22	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.101.FAUCET
23	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.101.FOUNTAIN
24	Hannibal CSD	Fairley Elementary	FES.1ST.FL.MUSIC.118.FOUNTAIN.LH
25	Hannibal CSD	Fairley Elementary	FES.1ST.FL.MUSIC.118.FOUNTAIN.RH
26	Hannibal CSD	Fairley Elementary	FES.1ST.FL.OT/PT.117.FOUNTAIN.LH
27	Hannibal CSD	Fairley Elementary	FES.1ST.FL.OT/PT.117.FOUNTAIN.RH
28	Hannibal CSD	Fairley Elementary	FES.1ST.FL.FACULTY.ROOM.FAUCET
29	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KINDERGARTEN.HALL.FOUNTAIN.LH
30	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KINDERGARTEN.HALL.FOUNTAIN.MID
31	Hannibal CSD	Fairley Elementary	FES.1ST.FL.KINDERGARTEN.HALL.FOUNTAIN.RH
32	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.120.FAUCET
33	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.120.FOUNTAIN
34	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.121.FAUCET
35	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.121.FOUNTAIN
36	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.122.FAUCET
37	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.122.FOUNTAIN
38	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.123.FAUCET
39	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.123.FOUNTAIN
40	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.124.FAUCET
41	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.124.FOUNTAIN
42	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.125.FAUCET
43	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.125.FOUNTAIN
44	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.126.FAUCET
45	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.126.FOUNTAIN
46	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.127.FAUCET

47	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.127.FOUNTAIN
48	Hannibal CSD	Fairley Elementary	FES.1ST.FL.MAIN.OFFICE.LOBBY.FOUNTAIN.LH
49	Hannibal CSD	Fairley Elementary	FES.1ST.FL.MAIN.OFFICE.LOBBY.FOUNTAIN.MID
50	Hannibal CSD	Fairley Elementary	FES.1ST.FL.MAIN.OFFICE.LOBBY.FOUNTAIN.RH
51	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.130.FAUCET
52	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.130.FOUNTAIN
53	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.131.LAV.FAUCET.LH
54	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.131.LAV.FAUCET.RH
55	Hannibal CSD	Fairley Elementary	FES.1ST.FL.NURSE.OFFICE.FAUCET
56	Hannibal CSD	Fairley Elementary	FES.1ST.FL.NURSE.OFFICE.LAV.FAUCET
57	Hannibal CSD	Fairley Elementary	FES.1ST.FL.NURSE.OFFICE.LAV.FAUCET
58	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.133.FAUCET.LH
59	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.133.FAUCET.RH
60	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.134.FAUCET
61	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.134.FOUNTAIN
62	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.135.FAUCET
63	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.135.FOUNTAIN
64	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.136.FAUCET
65	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.136.FOUNTAIN
66	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.137.FAUCET
67	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.137.FOUNTAIN
68	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.138.FAUCET
69	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.138.FOUNTAIN
70	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.139.FAUCET
71	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.139.FOUNTAIN
72	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.140.FAUCET
73	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.140.FOUNTAIN
74	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.141.FAUCET
75	Hannibal CSD	Fairley Elementary	FES.1ST.FL.CLASSROOM.141.FOUNTAIN
76	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.GIRLS.LOCKER.FAUCET.LH
77	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.GIRLS.LOCKER.FAUCET.RH
78	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.BOYS.LOCKER.FAUCET.LH
79	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.BOYS.LOCKER.FAUCET.RH
80	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.BOYS.ENTERANCE.FOUNTAIN.LH
81	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.BOYS.ENTERANCE.FOUNTAIN.MID
82	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.BOYS.ENTERANCE.FOUNTAIN.RH
83	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.GIRLS.ENTERANCE.FOUNTAIN.LH
84	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.GIRLS.ENTERANCE.FOUNTAIN.MID
85	Hannibal CSD	Fairley Elementary	FES.1ST.FL.GYM.GIRLS.ENTERANCE.FOUNTAIN.RH
86	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.201.FAUCET
87	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.201.FOUNTAIN
88	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.202.FAUCET
89	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.202.FOUNTAIN
90	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.203.FAUCET
91	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.203.FOUNTAIN
92	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.204.FAUCET
93	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.204.FOUNTAIN

94	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.205.FAUCET
95	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.205.FOUNTAIN
96	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.206.FAUCET
97	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.206.FOUNTAIN
98	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.207.FAUCET
99	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.207.FOUNTAIN
100	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.208.FAUCET
101	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.208.FOUNTAIN
102	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.209.FAUCET
103	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.209.FOUNTAIN
104	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.210.FAUCET
105	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.210.FOUNTAIN
106	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.211.FAUCET
107	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.211.FOUNTAIN
108	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.212.FAUCET
109	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.212.FOUNTAIN
110	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.213.FAUCET
111	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.213.FOUNTAIN
112	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.214.FAUCET
113	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.214.FOUNTAIN
114	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.215.FAUCET
115	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.215.FOUNTAIN
116	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.216.FAUCET
117	Hannibal CSD	Fairley Elementary	FES.2ND.FL.CLASSROOM.216.FOUNTAIN
118	Hannibal CSD	Fairley Elementary	FES.2ND.FL.LOBBY.FOUNTAIN.LH
119	Hannibal CSD	Fairley Elementary	FES.2ND.FL.LOBBY.FOUNTAIN.MID
120	Hannibal CSD	Fairley Elementary	FES.2ND.FL.LOBBY.FOUNTAIN.RH

WO#: 70287038

Client Name:

Citi Bo Hann

Pr

PM: MN2

Due Date: 02/21/24

CLIENT: Citi Bo Hann

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pac

Tracking #: 7057 1745 6606

Custody Seal on Cooler/Box Present: ☒ Yes ☐ No Seals intact: ☒ Yes ☐ No Temperature Blank Present: ☐ Yes ☒ No
Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☐ Ziplo ☐ Non ☐ Other Type of Ice: Wet Blue None

Thermometer Used: TM211 Correction Factor: +0.4 ☐ Samples on ice, cooling process has begun
Cooler Temperature(°C): 16.2 Cooler Temperature Corrected(°C): 16.6 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☐ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX,
or VA (check map)? ☐ Yes ☒ No

Did samples originate from a foreign source including Hawaii and Puerto Rico? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: 2/21/24

	COMMENTS:
Chain of Custody Present: ☒ Yes ☐ No	1.
Chain of Custody Filled Out: ☒ Yes ☐ No	2.
Chain of Custody Relinquished: ☒ Yes ☐ No	3.
Sampler Name & Signature on COC: ☒ Yes ☐ No ☐ N/A	4.
Samples Arrived within Hold Time: ☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr): ☒ Yes ☐ No	6.
Rush Turn Around Time Requested ☒ Yes ☐ No	7.
Sufficient Volume: (Triple volume provided for MS/MSD) ☒ Yes ☐ No	8.
Correct Containers Used: ☒ Yes ☐ No	9.
-Pace Containers Used: ☒ Yes ☐ No	10.
Containers Intact: ☒ Yes ☐ No	11.
Filtered volume received for Dissolved tests ☒ Yes ☐ No ☐ N/A	Note: if sediment is visible in the dissolved container.
Sample Labels match COC: ☒ Yes ☐ No	12.
-Includes date/time/ID/Analysis Matrix: SL WT OIL OTHER	

Date and Initials of person checking preservation: 2/21/24

All containers needing preservation have been ☒ Yes ☐ No ☐ N/A	13. ☐ HNO ₃ ☐ H ₂ SO ₄ ☐ NaOH ☐ HCl
pH paper Lot # 211821A	Sample #
All containers needing preservation are found to be in compliance with method recommendation?	
(HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, ☒ Yes ☐ No ☐ N/A	
NAOH>12 Cyanide)	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).	
Per Method, VOA pH is checked after analysis	
Samples checked for dechlorination: ☐ Yes ☐ No ☒ N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added:
KI starch test strips Lot #	14.
Residual chlorine strips Lot #	Positive for Res. Chlorine? Y N
SM 4500 CN samples checked for sul ☐ Yes ☐ No ☒ N/A	15.
Lead Acetate Strips Lot #	Positive for Sulfide? Y N
Headspace in VOA Vials (>6mm): ☐ Yes ☐ No ☒ N/A	16.
Trip Blank Present: ☐ Yes ☐ No ☒ N/A	17.
Trip Blank Custody Seals Present ☐ Yes ☐ No ☒ N/A	

DATE AND INITIALS OF PERSON COMPLETING SECOND REVIEW: ASE 2/21/24

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review is documented electronically in LIMS.