

October 17, 2016

Nancy Henner  
Hannibal CSD  
928 Cayuga St.  
Hannibal, NY 13074

RE: Project: Han CSD - Middle School  
Pace Project No.: 10365090

Dear Nancy Henner:

Enclosed are the analytical results for sample(s) received by the laboratory on October 06, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Samples, in the electronic data deliverable (EDD) that accompanied this report, were flagged yellow if they exceeded the NYSDOH 15 ppb action level.

The space designated for the sampler on the chain of custody (COC) indicates if these samples were collected by Pace Analytical or were collected by the school district and just relinquished to Pace Analytical.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Amanda Albrecht  
amanda.albrecht@pacelabs.com  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: Han CSD - Middle School

Pace Project No.: 10365090

---

### Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

Alaska Certification UST-107

525 N 8th Street, Salina, KS 67401

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN\_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE SUMMARY

Project: Han CSD - Middle School

Pace Project No.: 10365090

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365090001	Safety Classroom Bath	Water	09/27/16 00:36	10/06/16 10:15
10365090002	Concession Sink	Water	09/27/16 00:37	10/06/16 10:15
10365090003	Concession Ice Machine	Water	09/27/16 00:38	10/06/16 10:15
10365090004	Train Station/Boys Room/Sink 1	Water	09/27/16 00:42	10/06/16 10:15
10365090005	Train Station/Boys Room/Sink 2	Water	09/27/16 00:42	10/06/16 10:15
10365090006	Train Station/Boys Room/Sink 3	Water	09/27/16 00:44	10/06/16 10:15
10365090007	Train Station/Boys Room/Sink 4	Water	09/27/16 00:44	10/06/16 10:15
10365090008	Train Station/Girl Rm/Sink 1	Water	09/27/16 00:46	10/06/16 10:15
10365090009	Train Station/Girl Rm/Sink 2	Water	09/27/16 00:47	10/06/16 10:15
10365090010	Train Station/Girl Rm/Sink 3	Water	09/27/16 00:47	10/06/16 10:15
10365090011	Train Station/Girl Rm/Sink 4	Water	09/27/16 00:48	10/06/16 10:15
10365090012	Boys Coaches Bath	Water	09/27/16 00:49	10/06/16 10:15
10365090013	Boys Locker Room/ Left Sink	Water	09/27/16 00:51	10/06/16 10:15
10365090014	Boys Locker Room/ Right Sink	Water	09/27/16 00:53	10/06/16 10:15
10365090015	Girls Locker Room/ Left Sink	Water	09/27/16 00:54	10/06/16 10:15
10365090016	Girls Locker Room/ Right Sink	Water	09/27/16 00:54	10/06/16 10:15
10365090017	Girls Coaches Bath	Water	09/27/16 00:56	10/06/16 10:15
10365090018	Room 142/ BS	Water	09/27/16 00:57	10/06/16 10:15
10365090019	Acoustic Ave./ Girls Room	Water	09/27/16 00:58	10/06/16 10:15
10365090020	Acoustic Ave./ Boys Room	Water	09/27/16 00:59	10/06/16 10:15
10365090021	Wellness Way Gang Bath/ Sink 1	Water	09/27/16 01:01	10/06/16 10:15
10365090022	Wellness Way Gang Bath/ Sink 2	Water	09/27/16 01:01	10/06/16 10:15
10365090023	Wellness Way Gang Bath/ Sink 3	Water	09/27/16 01:03	10/06/16 10:15
10365090024	Wellness Way Gang Bath/ Sink 4	Water	09/27/16 01:04	10/06/16 10:15
10365090025	Wellness Way Gang Bath/ Sink 5	Water	09/27/16 01:04	10/06/16 10:15
10365090026	Wellness Way Gang Bath/ Sink 6	Water	09/27/16 01:05	10/06/16 10:15
10365090027	Room 109/ CS	Water	09/27/16 01:06	10/06/16 10:15
10365090028	Room 107/ CS	Water	09/27/16 01:06	10/06/16 10:15
10365090029	Room 105/ CS	Water	09/27/16 01:07	10/06/16 10:15
10365090030	Room 103/ CS	Water	09/27/16 01:07	10/06/16 10:15
10365090031	Room 101/ CS	Water	09/27/16 01:09	10/06/16 10:15
10365090032	Room 102/ CS	Water	09/27/16 01:10	10/06/16 10:15
10365090033	Room 104/ CS	Water	09/27/16 01:10	10/06/16 10:15
10365090034	Room 106/ CS	Water	09/27/16 01:11	10/06/16 10:15
10365090035	Room 108/ CS	Water	09/27/16 01:12	10/06/16 10:15
10365090036	Room 110/ CS	Water	09/27/16 01:13	10/06/16 10:15
10365090037	Room 111/ CS	Water	09/27/16 01:14	10/06/16 10:15

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE SUMMARY

Project: Han CSD - Middle School

Pace Project No.: 10365090

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365090038	Lamont Lane/ Unisex Bath	Water	09/27/16 01:14	10/06/16 10:15
10365090039	Library Storage/ Sink	Water	09/27/16 01:15	10/06/16 10:15
10365090040	Room 112/ CS	Water	09/27/16 01:16	10/06/16 10:15
10365090041	Room 113/ CS	Water	09/27/16 01:16	10/06/16 10:15
10365090042	Room 115/ CS	Water	09/27/16 01:17	10/06/16 10:15
10365090043	Room 116 B/ CS	Water	09/27/16 01:19	10/06/16 10:15
10365090044	Room 116 A/ CS	Water	09/27/16 01:20	10/06/16 10:15
10365090045	Cafe Court/ Gang Bath/ Sink 1	Water	09/27/16 01:23	10/06/16 10:15
10365090046	Cafe Court/ Gang Bath/ Sink 2	Water	09/27/16 01:23	10/06/16 10:15
10365090047	Cafe Court/ Gang Bath/ Sink 3	Water	09/27/16 01:24	10/06/16 10:15
10365090048	Cafe Court/ Gang Bath/ Sink 4	Water	09/27/16 01:24	10/06/16 10:15
10365090049	Cafe Court/ Gang Bath/ Sink 5	Water	09/27/16 01:26	10/06/16 10:15
10365090050	Cafe Court/ Gang Bath/ Sink 6	Water	09/27/16 01:26	10/06/16 10:15
10365090051	Room 134/ CS	Water	09/27/16 01:28	10/06/16 10:15
10365090052	Room 118 A/ CS	Water	09/27/16 01:30	10/06/16 10:15
10365090053	Room 118 B/ CS	Water	09/27/16 01:30	10/06/16 10:15
10365090054	Room 121/ CS	Water	09/27/16 01:31	10/06/16 10:15
10365090055	7th Ave./ Girls Room/ Sink 1	Water	09/27/16 01:34	10/06/16 10:15
10365090056	7th Ave./ Girls Room/ Sink 2	Water	09/27/16 01:34	10/06/16 10:15
10365090057	7th Ave./ Girls Room/ Sink 3	Water	09/27/16 01:35	10/06/16 10:15
10365090058	7th Ave./ Girls Room/ Sink 4	Water	09/27/16 01:36	10/06/16 10:15
10365090059	7th Ave./ Boys Room/ Sink 1	Water	09/27/16 01:37	10/06/16 10:15
10365090060	7th Ave./ Boys Room/ Sink 2	Water	09/27/16 01:37	10/06/16 10:15
10365090061	7th Ave./ Boys Room/ Sink 3	Water	09/27/16 01:39	10/06/16 10:15
10365090062	7th Ave./ Boys Room/ Sink 4	Water	09/27/16 01:39	10/06/16 10:15
10365090063	Nurses Office Sink	Water	09/27/16 01:40	10/06/16 10:15
10365090064	Nurses Office Bath	Water	09/27/16 01:41	10/06/16 10:15
10365090065	Room 128/ CS	Water	09/27/16 01:42	10/06/16 10:15
10365090066	Room 129/ CS	Water	09/27/16 01:43	10/06/16 10:15
10365090067	Room 130/ CS	Water	09/27/16 01:44	10/06/16 10:15
10365090068	Room 131/ CS	Water	09/27/16 01:45	10/06/16 10:15
10365090069	Room 132/ CS	Water	09/27/16 01:46	10/06/16 10:15
10365090070	Room 133/ CS	Water	09/27/16 01:46	10/06/16 10:15
10365090071	7th Ave./ Men Faculty Bath/ Si	Water	09/27/16 01:47	10/06/16 10:15
10365090072	7th Ave./ Womens Faculty Bath	Water	09/27/16 01:49	10/06/16 10:15
10365090073	Room 201/ CS	Water	09/27/16 01:53	10/06/16 10:15
10365090074	Room 203/ CS	Water	09/27/16 01:53	10/06/16 10:15

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: Han CSD - Middle School  
Pace Project No.: 10365090

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365090075	Upstairs Faculty Breakroom	Water	09/27/16 01:54	10/06/16 10:15
10365090076	Upstairs Womens Faculty Bath	Water	09/27/16 01:56	10/06/16 10:15
10365090077	Upstairs Womens Faculty Bath	Water	09/27/16 01:57	10/06/16 10:15
10365090078	Upstairs Mens Faculty Bath/ Ri	Water	09/27/16 01:58	10/06/16 10:15
10365090079	Upstairs Mens Faculty Bath/ Le	Water	09/27/16 01:58	10/06/16 10:15
10365090080	8th Ave/ Girls Room/ Sink 1	Water	09/27/16 02:03	10/06/16 10:15
10365090081	8th Ave/ Girls Room/ Sink 2	Water	09/27/16 02:04	10/06/16 10:15
10365090082	8th Ave/ Girls Room/ Sink 3	Water	09/27/16 02:04	10/06/16 10:15
10365090083	8th Ave/ Girls Room/ Sink 4	Water	09/27/16 02:04	10/06/16 10:15
10365090084	8th Ave/ Girls Room/ Sink 5	Water	09/27/16 02:04	10/06/16 10:15
10365090085	8th Ave/ Sink 1	Water	09/27/16 02:08	10/06/16 10:15
10365090086	8th Ave/ Sink 3	Water	09/27/16 02:10	10/06/16 10:15
10365090087	8th Ave/ Sink 4	Water	09/27/16 02:10	10/06/16 10:15
10365090088	8th Ave/ Sink 5	Water	09/27/16 02:11	10/06/16 10:15
10365090089	Room 204/ CS	Water	09/27/16 02:11	10/06/16 10:15
10365090090	Room 205/ CS	Water	09/27/16 02:12	10/06/16 10:15
10365090091	Room 206/ CS	Water	09/27/16 02:12	10/06/16 10:15
10365090092	Room 207/ CS	Water	09/27/16 02:13	10/06/16 10:15
10365090093	Room 208/ CS	Water	09/27/16 02:14	10/06/16 10:15
10365090094	Room 209/ CS	Water	09/27/16 02:15	10/06/16 10:15
10365090095	Room 210/ CS	Water	09/27/16 02:16	10/06/16 10:15
10365090096	Room 213/ CS	Water	09/27/16 02:16	10/06/16 10:15
10365090097	Room 212/ CS	Water	09/27/16 02:17	10/06/16 10:15

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: Han CSD - Middle School

Pace Project No.: 10365090

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365090001	Safety Classroom Bath	EPA 200.8	TT3	1	PASI-M
10365090002	Concession Sink	EPA 200.8	TT3	1	PASI-M
10365090003	Concession Ice Machine	EPA 200.8	TT3	1	PASI-M
10365090004	Train Station/Boys Room/Sink 1	EPA 200.8	TT3	1	PASI-M
10365090005	Train Station/Boys Room/Sink 2	EPA 200.8	TT3	1	PASI-M
10365090006	Train Station/Boys Room/Sink 3	EPA 200.8	TT3	1	PASI-M
10365090007	Train Station/Boys Room/Sink 4	EPA 200.8	TT3	1	PASI-M
10365090008	Train Station/Girl Rm/Sink 1	EPA 200.8	TT3	1	PASI-M
10365090009	Train Station/Girl Rm/Sink 2	EPA 200.8	TT3	1	PASI-M
10365090010	Train Station/Girl Rm/Sink 3	EPA 200.8	TT3	1	PASI-M
10365090011	Train Station/Girl Rm/Sink 4	EPA 200.8	TT3	1	PASI-M
10365090012	Boys Coaches Bath	EPA 200.8	TT3	1	PASI-M
10365090013	Boys Locker Room/ Left Sink	EPA 200.8	TT3	1	PASI-M
10365090014	Boys Locker Room/ Right Sink	EPA 200.8	TT3	1	PASI-M
10365090015	Girls Locker Room/ Left Sink	EPA 200.8	TT3	1	PASI-M
10365090016	Girls Locker Room/ Right Sink	EPA 200.8	TT3	1	PASI-M
10365090017	Girls Coaches Bath	EPA 200.8	TT3	1	PASI-M
10365090018	Room 142/ BS	EPA 200.8	TT3	1	PASI-M
10365090019	Acoustic Ave./ Girls Room	EPA 200.8	TT3	1	PASI-M
10365090020	Acoustic Ave./ Boys Room	EPA 200.8	TT3	1	PASI-M
10365090021	Wellness Way Gang Bath/ Sink 1	EPA 200.8	TT3	1	PASI-M
10365090022	Wellness Way Gang Bath/ Sink 2	EPA 200.8	TT3	1	PASI-M
10365090023	Wellness Way Gang Bath/ Sink 3	EPA 200.8	TT3	1	PASI-M
10365090024	Wellness Way Gang Bath/ Sink 4	EPA 200.8	TT3	1	PASI-M
10365090025	Wellness Way Gang Bath/ Sink 5	EPA 200.8	TT3	1	PASI-M
10365090026	Wellness Way Gang Bath/ Sink 6	EPA 200.8	TT3	1	PASI-M
10365090027	Room 109/ CS	EPA 200.8	TT3	1	PASI-M
10365090028	Room 107/ CS	EPA 200.8	TT3	1	PASI-M
10365090029	Room 105/ CS	EPA 200.8	TT3	1	PASI-M
10365090030	Room 103/ CS	EPA 200.8	TT3	1	PASI-M
10365090031	Room 101/ CS	EPA 200.8	TT3	1	PASI-M
10365090032	Room 102/ CS	EPA 200.8	TT3	1	PASI-M
10365090033	Room 104/ CS	EPA 200.8	TT3	1	PASI-M
10365090034	Room 106/ CS	EPA 200.8	TT3	1	PASI-M
10365090035	Room 108/ CS	EPA 200.8	TT3	1	PASI-M
10365090036	Room 110/ CS	EPA 200.8	TT3	1	PASI-M
10365090037	Room 111/ CS	EPA 200.8	TT3	1	PASI-M

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: Han CSD - Middle School

Pace Project No.: 10365090

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365090038	Lamont Lane/ Unisex Bath	EPA 200.8	TT3	1	PASI-M
10365090039	Library Storage/ Sink	EPA 200.8	TT3	1	PASI-M
10365090040	Room 112/ CS	EPA 200.8	TT3	1	PASI-M
10365090041	Room 113/ CS	EPA 200.8	TT3	1	PASI-M
10365090042	Room 115/ CS	EPA 200.8	TT3	1	PASI-M
10365090043	Room 116 B/ CS	EPA 200.8	TT3	1	PASI-M
10365090044	Room 116 A/ CS	EPA 200.8	TT3	1	PASI-M
10365090045	Cafe Court/ Gang Bath/ Sink 1	EPA 200.8	TT3	1	PASI-M
10365090046	Cafe Court/ Gang Bath/ Sink 2	EPA 200.8	TT3	1	PASI-M
10365090047	Cafe Court/ Gang Bath/ Sink 3	EPA 200.8	TT3	1	PASI-M
10365090048	Cafe Court/ Gang Bath/ Sink 4	EPA 200.8	TT3	1	PASI-M
10365090049	Cafe Court/ Gang Bath/ Sink 5	EPA 200.8	TT3	1	PASI-M
10365090050	Cafe Court/ Gang Bath/ Sink 6	EPA 200.8	TT3	1	PASI-M
10365090051	Room 134/ CS	EPA 200.8	TT3	1	PASI-M
10365090052	Room 118 A/ CS	EPA 200.8	TT3	1	PASI-M
10365090053	Room 118 B/ CS	EPA 200.8	TT3	1	PASI-M
10365090054	Room 121/ CS	EPA 200.8	TT3	1	PASI-M
10365090055	7th Ave./ Girls Room/ Sink 1	EPA 200.8	TT3	1	PASI-M
10365090056	7th Ave./ Girls Room/ Sink 2	EPA 200.8	TT3	1	PASI-M
10365090057	7th Ave./ Girls Room/ Sink 3	EPA 200.8	TT3	1	PASI-M
10365090058	7th Ave./ Girls Room/ Sink 4	EPA 200.8	TT3	1	PASI-M
10365090059	7th Ave./ Boys Room/ Sink 1	EPA 200.8	TT3	1	PASI-M
10365090060	7th Ave./ Boys Room/ Sink 2	EPA 200.8	TT3	1	PASI-M
10365090061	7th Ave./ Boys Room/ Sink 3	EPA 200.8	TT3	1	PASI-M
10365090062	7th Ave./ Boys Room/ Sink 4	EPA 200.8	TT3	1	PASI-M
10365090063	Nurses Office Sink	EPA 200.8	TT3	1	PASI-M
10365090064	Nurses Office Bath	EPA 200.8	TT3	1	PASI-M
10365090065	Room 128/ CS	EPA 200.8	TT3	1	PASI-M
10365090066	Room 129/ CS	EPA 200.8	TT3	1	PASI-M
10365090067	Room 130/ CS	EPA 200.8	TT3	1	PASI-M
10365090068	Room 131/ CS	EPA 200.8	TT3	1	PASI-M
10365090069	Room 132/ CS	EPA 200.8	TT3	1	PASI-M
10365090070	Room 133/ CS	EPA 200.8	TT3	1	PASI-M
10365090071	7th Ave./ Men Faculty Bath/ Si	EPA 200.8	TT3	1	PASI-M
10365090072	7th Ave./ Womens Faculty Bath	EPA 200.8	TT3	1	PASI-M
10365090073	Room 201/ CS	EPA 200.8	TT3	1	PASI-M
10365090074	Room 203/ CS	EPA 200.8	TT3	1	PASI-M

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: Han CSD - Middle School

Pace Project No.: 10365090

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365090075	Upstairs Faculty Breakroom	EPA 200.8	TT3	1	PASI-M
10365090076	Upstairs Womens Faculty Bath	EPA 200.8	TT3	1	PASI-M
10365090077	Upstairs Womens Faculty Bath	EPA 200.8	TT3	1	PASI-M
10365090078	Upstairs Mens Faculty Bath/ Ri	EPA 200.8	TT3	1	PASI-M
10365090079	Upstairs Mens Faculty Bath/ Le	EPA 200.8	TT3	1	PASI-M
10365090080	8th Ave/ Girls Room/ Sink 1	EPA 200.8	TT3	1	PASI-M
10365090081	8th Ave/ Girls Room/ Sink 2	EPA 200.8	WBS	1	PASI-M
10365090082	8th Ave/ Girls Room/ Sink 3	EPA 200.8	WBS	1	PASI-M
10365090083	8th Ave/ Girls Room/ Sink 4	EPA 200.8	WBS	1	PASI-M
10365090084	8th Ave/ Girls Room/ Sink 5	EPA 200.8	WBS	1	PASI-M
10365090085	8th Ave/ Sink 1	EPA 200.8	WBS	1	PASI-M
10365090086	8th Ave/ Sink 3	EPA 200.8	WBS	1	PASI-M
10365090087	8th Ave/ Sink 4	EPA 200.8	WBS	1	PASI-M
10365090088	8th Ave/ Sink 5	EPA 200.8	WBS	1	PASI-M
10365090089	Room 204/ CS	EPA 200.8	WBS	1	PASI-M
10365090090	Room 205/ CS	EPA 200.8	WBS	1	PASI-M
10365090091	Room 206/ CS	EPA 200.8	WBS	1	PASI-M
10365090092	Room 207/ CS	EPA 200.8	WBS	1	PASI-M
10365090093	Room 208/ CS	EPA 200.8	WBS	1	PASI-M
10365090094	Room 209/ CS	EPA 200.8	WBS	1	PASI-M
10365090095	Room 210/ CS	EPA 200.8	WBS	1	PASI-M
10365090096	Room 213/ CS	EPA 200.8	WBS	1	PASI-M
10365090097	Room 212/ CS	EPA 200.8	WBS	1	PASI-M

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample: Safety Classroom Bath		Lab ID: 10365090001	Collected: 09/27/16 00:36	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	2.5	ug/L	0.10	1		10/11/16 19:06	7439-92-1	
Sample: Concession Sink		Lab ID: 10365090002	Collected: 09/27/16 00:37	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.85	ug/L	0.10	1		10/11/16 19:12	7439-92-1	
Sample: Concession Ice Machine		Lab ID: 10365090003	Collected: 09/27/16 00:38	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	ND	ug/L	0.10	1		10/11/16 19:14	7439-92-1	
Sample: Train Station/Boys Room/Sink 1		Lab ID: 10365090004	Collected: 09/27/16 00:42	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.6	ug/L	0.10	1		10/11/16 19:15	7439-92-1	
Sample: Train Station/Boys Room/Sink 2		Lab ID: 10365090005	Collected: 09/27/16 00:42	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.93	ug/L	0.10	1		10/11/16 19:17	7439-92-1	
Sample: Train Station/Boys Room/Sink 3		Lab ID: 10365090006	Collected: 09/27/16 00:44	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.94	ug/L	0.10	1		10/11/16 19:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample: Train Station/Boys Room/Sink 4		Lab ID: 10365090007	Collected: 09/27/16 00:44	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.2	ug/L	0.10	1		10/11/16 19:23	7439-92-1	
Sample: Train Station/Girl Rm/Sink 1		Lab ID: 10365090008	Collected: 09/27/16 00:46	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.90	ug/L	0.10	1		10/11/16 19:24	7439-92-1	
Sample: Train Station/Girl Rm/Sink 2		Lab ID: 10365090009	Collected: 09/27/16 00:47	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.69	ug/L	0.10	1		10/11/16 19:26	7439-92-1	
Sample: Train Station/Girl Rm/Sink 3		Lab ID: 10365090010	Collected: 09/27/16 00:47	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.91	ug/L	0.10	1		10/11/16 19:28	7439-92-1	
Sample: Train Station/Girl Rm/Sink 4		Lab ID: 10365090011	Collected: 09/27/16 00:48	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.91	ug/L	0.10	1		10/11/16 19:29	7439-92-1	
Sample: Boys Coaches Bath		Lab ID: 10365090012	Collected: 09/27/16 00:49	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.2	ug/L	0.10	1		10/11/16 19:32	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample:	Lab ID:	Collected:	Received:	Matrix:				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: Boys Locker Room/ Left Sink</b>	<b>Lab ID: 10365090013</b>	09/27/16 00:51	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	<b>0.67</b>	ug/L	0.10	1		10/11/16 19:34	7439-92-1	
<b>Sample: Boys Locker Room/ Right Sink</b>	<b>Lab ID: 10365090014</b>	09/27/16 00:53	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	<b>0.59</b>	ug/L	0.10	1		10/11/16 19:35	7439-92-1	
<b>Sample: Girls Locker Room/ Left Sink</b>	<b>Lab ID: 10365090015</b>	09/27/16 00:54	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	<b>0.59</b>	ug/L	0.10	1		10/11/16 19:41	7439-92-1	
<b>Sample: Girls Locker Room/ Right Sink</b>	<b>Lab ID: 10365090016</b>	09/27/16 00:54	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	<b>0.56</b>	ug/L	0.10	1		10/11/16 19:42	7439-92-1	
<b>Sample: Girls Coaches Bath</b>	<b>Lab ID: 10365090017</b>	09/27/16 00:56	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	<b>1.4</b>	ug/L	0.10	1		10/11/16 19:44	7439-92-1	
<b>Sample: Room 142/ BS</b>	<b>Lab ID: 10365090018</b>	09/27/16 00:57	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	<b>0.64</b>	ug/L	0.10	1		10/11/16 19:46	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School  
Pace Project No.: 10365090

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Acoustic Ave./ Girls Room**    **Lab ID: 10365090019**    Collected: 09/27/16 00:58    Received: 10/06/16 10:15    Matrix: Water

Analytical Method: EPA 200.8

Lead	3.5	ug/L	0.10	1		10/11/16 19:47	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Acoustic Ave./ Boys Room**    **Lab ID: 10365090020**    Collected: 09/27/16 00:59    Received: 10/06/16 10:15    Matrix: Water

Analytical Method: EPA 200.8

Lead	3.7	ug/L	0.10	1		10/11/16 19:48	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Wellness Way Gang Bath/ Sink 1**    **Lab ID: 10365090021**    Collected: 09/27/16 01:01    Received: 10/06/16 10:15    Matrix: Water

Analytical Method: EPA 200.8

Lead	0.61	ug/L	0.10	1		10/11/16 20:40	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Wellness Way Gang Bath/ Sink 2**    **Lab ID: 10365090022**    Collected: 09/27/16 01:01    Received: 10/06/16 10:15    Matrix: Water

Analytical Method: EPA 200.8

Lead	0.65	ug/L	0.10	1		10/11/16 20:46	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Wellness Way Gang Bath/ Sink 3**    **Lab ID: 10365090023**    Collected: 09/27/16 01:03    Received: 10/06/16 10:15    Matrix: Water

Analytical Method: EPA 200.8

Lead	0.64	ug/L	0.10	1		10/11/16 20:47	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Wellness Way Gang Bath/ Sink 4**    **Lab ID: 10365090024**    Collected: 09/27/16 01:04    Received: 10/06/16 10:15    Matrix: Water

Analytical Method: EPA 200.8

Lead	0.60	ug/L	0.10	1		10/11/16 20:52	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Wellness Way Gang Bath/ Sink 5**      **Lab ID: 10365090025**      Collected: 09/27/16 01:04      Received: 10/06/16 10:15      Matrix: Water

Analytical Method: EPA 200.8

Lead	1.0	ug/L	0.10	1		10/11/16 20:53	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Wellness Way Gang Bath/ Sink 6**      **Lab ID: 10365090026**      Collected: 09/27/16 01:05      Received: 10/06/16 10:15      Matrix: Water

Analytical Method: EPA 200.8

Lead	0.48	ug/L	0.10	1		10/11/16 20:55	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Room 109/ CS**      **Lab ID: 10365090027**      Collected: 09/27/16 01:06      Received: 10/06/16 10:15      Matrix: Water

Analytical Method: EPA 200.8      Preparation Method: EPA 200.8

Lead	32.4	ug/L	0.10	1	10/12/16 09:30	10/13/16 07:20	7439-92-1	
------	------	------	------	---	----------------	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Room 107/ CS**      **Lab ID: 10365090028**      Collected: 09/27/16 01:06      Received: 10/06/16 10:15      Matrix: Water

Analytical Method: EPA 200.8      Preparation Method: EPA 200.8

Lead	30.1	ug/L	0.10	1	10/12/16 09:30	10/13/16 07:21	7439-92-1	
------	------	------	------	---	----------------	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Room 105/ CS**      **Lab ID: 10365090029**      Collected: 09/27/16 01:07      Received: 10/06/16 10:15      Matrix: Water

Analytical Method: EPA 200.8

Lead	2.0	ug/L	0.10	1		10/11/16 20:56	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

**Sample: Room 103/ CS**      **Lab ID: 10365090030**      Collected: 09/27/16 01:07      Received: 10/06/16 10:15      Matrix: Water

Analytical Method: EPA 200.8      Preparation Method: EPA 200.8

Lead	13.0	ug/L	0.10	1	10/12/16 09:30	10/13/16 07:24	7439-92-1	
------	------	------	------	---	----------------	----------------	-----------	--

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School  
Pace Project No.: 10365090

<b>Sample: Room 101/ CS</b>		<b>Lab ID: 10365090031</b>	Collected: 09/27/16 01:09	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS** Analytical Method: EPA 200.8 Preparation Method: EPA 200.8

Lead **16.7** ug/L 0.10 1 10/12/16 09:30 10/13/16 07:26 7439-92-1

<b>Sample: Room 102/ CS</b>		<b>Lab ID: 10365090032</b>	Collected: 09/27/16 01:10	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **4.5** ug/L 0.10 1 10/11/16 20:58 7439-92-1

<b>Sample: Room 104/ CS</b>		<b>Lab ID: 10365090033</b>	Collected: 09/27/16 01:10	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS** Analytical Method: EPA 200.8 Preparation Method: EPA 200.8

Lead **10.7** ug/L 0.10 1 10/12/16 09:30 10/13/16 07:27 7439-92-1

<b>Sample: Room 106/ CS</b>		<b>Lab ID: 10365090034</b>	Collected: 09/27/16 01:11	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **2.9** ug/L 0.10 1 10/11/16 20:59 7439-92-1

<b>Sample: Room 108/ CS</b>		<b>Lab ID: 10365090035</b>	Collected: 09/27/16 01:12	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **4.5** ug/L 0.10 1 10/11/16 21:01 7439-92-1

<b>Sample: Room 110/ CS</b>		<b>Lab ID: 10365090036</b>	Collected: 09/27/16 01:13	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

**200.8 MET ICPMS, DW** Analytical Method: EPA 200.8

Lead **1.3** ug/L 0.10 1 10/11/16 21:02 7439-92-1

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School  
Pace Project No.: 10365090

Sample: Room 111/ CS		Lab ID: 10365090037	Collected: 09/27/16 01:14	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.0	ug/L	0.10	1		10/11/16 21:05	7439-92-1	
Sample: Lamont Lane/ Unisex Bath		Lab ID: 10365090038	Collected: 09/27/16 01:14	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.84	ug/L	0.10	1		10/11/16 21:10	7439-92-1	
Sample: Library Storage/ Sink		Lab ID: 10365090039	Collected: 09/27/16 01:15	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.1	ug/L	0.10	1		10/11/16 21:11	7439-92-1	
Sample: Room 112/ CS		Lab ID: 10365090040	Collected: 09/27/16 01:16	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.1	ug/L	0.10	1		10/11/16 21:13	7439-92-1	
Sample: Room 113/ CS		Lab ID: 10365090041	Collected: 09/27/16 01:16	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.0	ug/L	0.10	1		10/11/16 18:22	7439-92-1	
Sample: Room 115/ CS		Lab ID: 10365090042	Collected: 09/27/16 01:17	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.5	ug/L	0.10	1		10/11/16 18:17	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample: Room 116 B/ CS		Lab ID: 10365090043	Collected: 09/27/16 01:19	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.1	ug/L	0.10	1		10/11/16 18:19	7439-92-1	
Sample: Room 116 A/ CS		Lab ID: 10365090044	Collected: 09/27/16 01:20	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.1	ug/L	0.10	1		10/11/16 18:20	7439-92-1	
Sample: Cafe Court/ Gang Bath/ Sink 1		Lab ID: 10365090045	Collected: 09/27/16 01:23	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.58	ug/L	0.10	1		10/11/16 18:31	7439-92-1	
Sample: Cafe Court/ Gang Bath/ Sink 2		Lab ID: 10365090046	Collected: 09/27/16 01:23	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.72	ug/L	0.10	1		10/11/16 18:32	7439-92-1	
Sample: Cafe Court/ Gang Bath/ Sink 3		Lab ID: 10365090047	Collected: 09/27/16 01:24	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.65	ug/L	0.10	1		10/11/16 18:34	7439-92-1	
Sample: Cafe Court/ Gang Bath/ Sink 4		Lab ID: 10365090048	Collected: 09/27/16 01:24	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.71	ug/L	0.10	1		10/11/16 18:35	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample: Cafe Court/ Gang Bath/ Sink 5		Lab ID: 10365090049	Collected: 09/27/16 01:26	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.79</b>	ug/L	0.10	1		10/11/16 18:37	7439-92-1	
Sample: Cafe Court/ Gang Bath/ Sink 6		Lab ID: 10365090050	Collected: 09/27/16 01:26	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.62</b>	ug/L	0.10	1		10/11/16 18:39	7439-92-1	
Sample: Room 134/ CS		Lab ID: 10365090051	Collected: 09/27/16 01:28	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>23.5</b>	ug/L	0.10	1		10/11/16 18:40	7439-92-1	
Sample: Room 118 A/ CS		Lab ID: 10365090052	Collected: 09/27/16 01:30	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.84</b>	ug/L	0.10	1		10/11/16 18:46	7439-92-1	
Sample: Room 118 B/ CS		Lab ID: 10365090053	Collected: 09/27/16 01:30	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>4.4</b>	ug/L	0.10	1		10/11/16 18:48	7439-92-1	
Sample: Room 121/ CS		Lab ID: 10365090054	Collected: 09/27/16 01:31	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.94</b>	ug/L	0.10	1		10/11/16 18:49	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

<b>Sample:</b> 7th Ave./ Girls Room/ Sink 1	<b>Lab ID:</b> 10365090055	Collected: 09/27/16 01:34	Received: 10/06/16 10:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8							
Lead	<b>0.84</b>	ug/L	0.10	1		10/11/16 18:51	7439-92-1	

<b>Sample:</b> 7th Ave./ Girls Room/ Sink 2	<b>Lab ID:</b> 10365090056	Collected: 09/27/16 01:34	Received: 10/06/16 10:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8							
Lead	<b>0.49</b>	ug/L	0.10	1		10/11/16 18:52	7439-92-1	

<b>Sample:</b> 7th Ave./ Girls Room/ Sink 3	<b>Lab ID:</b> 10365090057	Collected: 09/27/16 01:35	Received: 10/06/16 10:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8							
Lead	<b>0.46</b>	ug/L	0.10	1		10/11/16 18:54	7439-92-1	

<b>Sample:</b> 7th Ave./ Girls Room/ Sink 4	<b>Lab ID:</b> 10365090058	Collected: 09/27/16 01:36	Received: 10/06/16 10:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8							
Lead	<b>0.86</b>	ug/L	0.10	1		10/11/16 18:55	7439-92-1	

<b>Sample:</b> 7th Ave./ Boys Room/ Sink 1	<b>Lab ID:</b> 10365090059	Collected: 09/27/16 01:37	Received: 10/06/16 10:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8							
Lead	<b>0.63</b>	ug/L	0.10	1		10/11/16 18:57	7439-92-1	

<b>Sample:</b> 7th Ave./ Boys Room/ Sink 2	<b>Lab ID:</b> 10365090060	Collected: 09/27/16 01:37	Received: 10/06/16 10:15	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8							
Lead	<b>0.70</b>	ug/L	0.10	1		10/11/16 18:58	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample:	Lab ID:	Collected:	Received:	Matrix:				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 7th Ave./ Boys Room/ Sink 3</b>	<b>Lab ID: 10365090061</b>	09/27/16 01:39	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	1.2	ug/L	0.10	1		10/13/16 10:08	7439-92-1	
<b>Sample: 7th Ave./ Boys Room/ Sink 4</b>	<b>Lab ID: 10365090062</b>	09/27/16 01:39	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	1.0	ug/L	0.10	1		10/13/16 10:13	7439-92-1	
<b>Sample: Nurses Office Sink</b>	<b>Lab ID: 10365090063</b>	09/27/16 01:40	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	1.1	ug/L	0.10	1		10/13/16 10:15	7439-92-1	
<b>Sample: Nurses Office Bath</b>	<b>Lab ID: 10365090064</b>	09/27/16 01:41	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	0.88	ug/L	0.10	1		10/13/16 10:17	7439-92-1	
<b>Sample: Room 128/ CS</b>	<b>Lab ID: 10365090065</b>	09/27/16 01:42	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	1.1	ug/L	0.10	1		10/13/16 10:18	7439-92-1	
<b>Sample: Room 129/ CS</b>	<b>Lab ID: 10365090066</b>	09/27/16 01:43	10/06/16 10:15	Water				
Analytical Method: EPA 200.8								
Lead	1.0	ug/L	0.10	1		10/13/16 10:20	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample: Room 130/ CS		Lab ID: 10365090067	Collected: 09/27/16 01:44	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.90</b>	ug/L	0.10	1		10/13/16 10:24	7439-92-1	
Sample: Room 131/ CS		Lab ID: 10365090068	Collected: 09/27/16 01:45	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>1.3</b>	ug/L	0.10	1		10/13/16 10:25	7439-92-1	
Sample: Room 132/ CS		Lab ID: 10365090069	Collected: 09/27/16 01:46	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>1.0</b>	ug/L	0.10	1		10/13/16 10:26	7439-92-1	
Sample: Room 133/ CS		Lab ID: 10365090070	Collected: 09/27/16 01:46	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.84</b>	ug/L	0.10	1		10/13/16 10:28	7439-92-1	
Sample: 7th Ave./ Men Faculty Bath/ Si		Lab ID: 10365090071	Collected: 09/27/16 01:47	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.64</b>	ug/L	0.10	1		10/13/16 10:30	7439-92-1	
Sample: 7th Ave./ Womens Faculty Bath		Lab ID: 10365090072	Collected: 09/27/16 01:49	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.64</b>	ug/L	0.10	1		10/13/16 10:33	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample: Room 201/ CS		Lab ID: 10365090073	Collected: 09/27/16 01:53	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	3.1	ug/L	0.10	1		10/13/16 10:35	7439-92-1	
Sample: Room 203/ CS		Lab ID: 10365090074	Collected: 09/27/16 01:53	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.5	ug/L	0.10	1		10/13/16 10:36	7439-92-1	
Sample: Upstairs Faculty Breakroom		Lab ID: 10365090075	Collected: 09/27/16 01:54	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.2	ug/L	0.10	1		10/13/16 10:37	7439-92-1	
Sample: Upstairs Womens Faculty Bath		Lab ID: 10365090076	Collected: 09/27/16 01:56	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.80	ug/L	0.10	1		10/13/16 10:43	7439-92-1	
Sample: Upstairs Womens Faculty Bath		Lab ID: 10365090077	Collected: 09/27/16 01:57	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.68	ug/L	0.10	1		10/13/16 10:44	7439-92-1	
Sample: Upstairs Mens Faculty Bath/ Ri		Lab ID: 10365090078	Collected: 09/27/16 01:58	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.5	ug/L	0.10	1		10/13/16 10:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

**Sample: Upstairs Mens Faculty Bath/ Le**      **Lab ID: 10365090079**      Collected: 09/27/16 01:58      Received: 10/06/16 10:15      Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b> Analytical Method: EPA 200.8								
Lead	1.4	ug/L	0.10	1		10/13/16 10:47	7439-92-1	

**Sample: 8th Ave/ Girls Room/ Sink 1**      **Lab ID: 10365090080**      Collected: 09/27/16 02:03      Received: 10/06/16 10:15      Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b> Analytical Method: EPA 200.8								
Lead	1.1	ug/L	0.10	1		10/13/16 10:48	7439-92-1	

**Sample: 8th Ave/ Girls Room/ Sink 2**      **Lab ID: 10365090081**      Collected: 09/27/16 02:04      Received: 10/06/16 10:15      Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b> Analytical Method: EPA 200.8								
Lead	1.3	ug/L	0.10	1		10/11/16 15:50	7439-92-1	

**Sample: 8th Ave/ Girls Room/ Sink 3**      **Lab ID: 10365090082**      Collected: 09/27/16 02:04      Received: 10/06/16 10:15      Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b> Analytical Method: EPA 200.8								
Lead	1.2	ug/L	0.10	1		10/11/16 15:56	7439-92-1	

**Sample: 8th Ave/ Girls Room/ Sink 4**      **Lab ID: 10365090083**      Collected: 09/27/16 02:04      Received: 10/06/16 10:15      Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b> Analytical Method: EPA 200.8								
Lead	1.0	ug/L	0.10	1		10/11/16 15:57	7439-92-1	

**Sample: 8th Ave/ Girls Room/ Sink 5**      **Lab ID: 10365090084**      Collected: 09/27/16 02:04      Received: 10/06/16 10:15      Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b> Analytical Method: EPA 200.8								
Lead	0.75	ug/L	0.10	1		10/11/16 15:58	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School  
Pace Project No.: 10365090

Sample: 8th Ave/ Sink 1		Lab ID: 10365090085	Collected: 09/27/16 02:08	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.6	ug/L	0.10	1		10/11/16 16:00	7439-92-1	
Sample: 8th Ave/ Sink 3		Lab ID: 10365090086	Collected: 09/27/16 02:10	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.76	ug/L	0.10	1		10/11/16 16:04	7439-92-1	
Sample: 8th Ave/ Sink 4		Lab ID: 10365090087	Collected: 09/27/16 02:10	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.93	ug/L	0.10	1		10/11/16 16:05	7439-92-1	
Sample: 8th Ave/ Sink 5		Lab ID: 10365090088	Collected: 09/27/16 02:11	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.2	ug/L	0.10	1		10/11/16 16:07	7439-92-1	
Sample: Room 204/ CS		Lab ID: 10365090089	Collected: 09/27/16 02:11	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	0.89	ug/L	0.10	1		10/11/16 16:08	7439-92-1	
Sample: Room 205/ CS		Lab ID: 10365090090	Collected: 09/27/16 02:12	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	1.0	ug/L	0.10	1		10/11/16 16:09	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Sample: Room 206/ CS		Lab ID: 10365090091	Collected: 09/27/16 02:12	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>1.6</b>	ug/L	0.10	1		10/11/16 16:11	7439-92-1	
Sample: Room 207/ CS		Lab ID: 10365090092	Collected: 09/27/16 02:13	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.94</b>	ug/L	0.10	1		10/11/16 16:13	7439-92-1	
Sample: Room 208/ CS		Lab ID: 10365090093	Collected: 09/27/16 02:14	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>1.1</b>	ug/L	0.10	1		10/11/16 16:14	7439-92-1	
Sample: Room 209/ CS		Lab ID: 10365090094	Collected: 09/27/16 02:15	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>0.94</b>	ug/L	0.10	1		10/11/16 16:16	7439-92-1	
Sample: Room 210/ CS		Lab ID: 10365090095	Collected: 09/27/16 02:16	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>2.8</b>	ug/L	0.10	1		10/11/16 16:20	7439-92-1	
Sample: Room 213/ CS		Lab ID: 10365090096	Collected: 09/27/16 02:16	Received: 10/06/16 10:15	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS, DW</b>		Analytical Method: EPA 200.8						
Lead	<b>2.9</b>	ug/L	0.10	1		10/11/16 16:21	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: Han CSD - Middle School

Pace Project No.: 10365090

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: Room 212/ CS</b>		<b>Lab ID: 10365090097</b>		Collected: 09/27/16 02:17	Received: 10/06/16 10:15	Matrix: Water		
<b>200.8 MET ICPMS, DW</b>	Analytical Method: EPA 200.8							
Lead	<b>1.7</b>	ug/L	0.10	1		10/11/16 16:23	7439-92-1	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: Han CSD - Middle School  
Pace Project No.: 10365090

QC Batch: 439846 Analysis Method: EPA 200.8  
QC Batch Method: EPA 200.8 Analysis Description: ICPMS Metals, Drinking Water  
Associated Lab Samples: 10365090001, 10365090002, 10365090003, 10365090004, 10365090005, 10365090006, 10365090007, 10365090008, 10365090009, 10365090010, 10365090011, 10365090012, 10365090013, 10365090014, 10365090015, 10365090016, 10365090017, 10365090018, 10365090019, 10365090020

METHOD BLANK: 2391381 Matrix: Water  
Associated Lab Samples: 10365090001, 10365090002, 10365090003, 10365090004, 10365090005, 10365090006, 10365090007, 10365090008, 10365090009, 10365090010, 10365090011, 10365090012, 10365090013, 10365090014, 10365090015, 10365090016, 10365090017, 10365090018, 10365090019, 10365090020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/11/16 19:03	

LABORATORY CONTROL SAMPLE: 2391382

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	104	104	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395880 2395881

Parameter	Units	10365090001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	2.5	100	100	99.0	101	97	98	70-130	2	20	

MATRIX SPIKE SAMPLE: 2395882

Parameter	Units	10365090011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	0.91	100	99.3	98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: Han CSD - Middle School  
Pace Project No.: 10365090

QC Batch: 439847 Analysis Method: EPA 200.8  
QC Batch Method: EPA 200.8 Analysis Description: ICPMS Metals, Drinking Water  
Associated Lab Samples: 10365090021, 10365090022, 10365090023, 10365090024, 10365090025, 10365090026, 10365090029, 10365090032, 10365090034, 10365090035, 10365090036, 10365090037, 10365090038, 10365090039, 10365090040

METHOD BLANK: 2391385 Matrix: Water  
Associated Lab Samples: 10365090021, 10365090022, 10365090023, 10365090024, 10365090025, 10365090026, 10365090029, 10365090032, 10365090034, 10365090035, 10365090036, 10365090037, 10365090038, 10365090039, 10365090040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/11/16 20:37	

LABORATORY CONTROL SAMPLE: 2391386

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	96.0	96	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395916 2395917

Parameter	Units	10365090021 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	0.61	100	100	97.1	96.8	97	96	70-130	0	20	

MATRIX SPIKE SAMPLE: 2395918

Parameter	Units	10365090036 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.3	100	97.8	96	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: Han CSD - Middle School

Pace Project No.: 10365090

QC Batch: 439849 Analysis Method: EPA 200.8  
 QC Batch Method: EPA 200.8 Analysis Description: ICPMS Metals, Drinking Water  
 Associated Lab Samples: 10365090041, 10365090042, 10365090043, 10365090044, 10365090045, 10365090046, 10365090047, 10365090048, 10365090049, 10365090050, 10365090051, 10365090052, 10365090053, 10365090054, 10365090055, 10365090056, 10365090057, 10365090058, 10365090059, 10365090060

METHOD BLANK: 2391392 Matrix: Water  
 Associated Lab Samples: 10365090041, 10365090042, 10365090043, 10365090044, 10365090045, 10365090046, 10365090047, 10365090048, 10365090049, 10365090050, 10365090051, 10365090052, 10365090053, 10365090054, 10365090055, 10365090056, 10365090057, 10365090058, 10365090059, 10365090060

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/11/16 18:10	

LABORATORY CONTROL SAMPLE: 2391393

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	96.5	97	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2395761 2395762

Parameter	Units	10365090041 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	1.0	100	100	98.6	97.2	98	96	70-130	1	20	

MATRIX SPIKE SAMPLE: 2395763

Parameter	Units	10365090051 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	23.5	100	118	94	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: Han CSD - Middle School

Pace Project No.: 10365090

QC Batch:	439850	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	ICPMS Metals, Drinking Water
Associated Lab Samples:	10365090061, 10365090062, 10365090063, 10365090064, 10365090065, 10365090066, 10365090067, 10365090068, 10365090069, 10365090070, 10365090071, 10365090072, 10365090073, 10365090074, 10365090075, 10365090076, 10365090077, 10365090078, 10365090079, 10365090080		

METHOD BLANK:	2391395	Matrix:	Water
Associated Lab Samples:	10365090061, 10365090062, 10365090063, 10365090064, 10365090065, 10365090066, 10365090067, 10365090068, 10365090069, 10365090070, 10365090071, 10365090072, 10365090073, 10365090074, 10365090075, 10365090076, 10365090077, 10365090078, 10365090079, 10365090080		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/13/16 09:49	

LABORATORY CONTROL SAMPLE: 2391396

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	105	105	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2398029 2398030

Parameter	Units	10365090061 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	1.2	100	100	102	102	101	101	70-130	0	20	

MATRIX SPIKE SAMPLE: 2398031

Parameter	Units	10365090071 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	0.64	100	104	103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: Han CSD - Middle School

Pace Project No.: 10365090

QC Batch:	439851	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	ICPMS Metals, Drinking Water
Associated Lab Samples:	10365090081, 10365090082, 10365090083, 10365090084, 10365090085, 10365090086, 10365090087, 10365090088, 10365090089, 10365090090, 10365090091, 10365090092, 10365090093, 10365090094, 10365090095, 10365090096, 10365090097		

METHOD BLANK:	2391398	Matrix:	Water
Associated Lab Samples:	10365090081, 10365090082, 10365090083, 10365090084, 10365090085, 10365090086, 10365090087, 10365090088, 10365090089, 10365090090, 10365090091, 10365090092, 10365090093, 10365090094, 10365090095, 10365090096, 10365090097		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/11/16 15:47	

LABORATORY CONTROL SAMPLE:	2391399					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	107	107	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2395364			2395365								
Parameter	Units	10365090081 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	1.3	100	100	106	104	105	103	70-130	2	20	

MATRIX SPIKE SAMPLE:	2395366										
Parameter	Units	10365090091 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers				
Lead	ug/L	1.6	100	106	104	70-130					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: Han CSD - Middle School  
Pace Project No.: 10365090

QC Batch: 440200 Analysis Method: EPA 200.8  
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET  
Associated Lab Samples: 10365090027, 10365090028, 10365090030, 10365090031, 10365090033

METHOD BLANK: 2393729 Matrix: Water  
Associated Lab Samples: 10365090027, 10365090028, 10365090030, 10365090031, 10365090033

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/12/16 16:47	

LABORATORY CONTROL SAMPLE: 2393730

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	101	101	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393731 2393732

Parameter	Units	10364697007		MS		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec						
Lead	ug/L	4.2	100	100	97.0	102	93	98	70-130	5	20				

MATRIX SPIKE SAMPLE: 2393733

Parameter	Units	10365090028 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	30.1	100	129	99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: Han CSD - Middle School

Pace Project No.: 10365090

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Han CSD - Middle School

Pace Project No.: 10365090

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365090001	Safety Classroom Bath	EPA 200.8	439846		
10365090002	Concession Sink	EPA 200.8	439846		
10365090003	Concession Ice Machine	EPA 200.8	439846		
10365090004	Train Station/Boys Room/Sink 1	EPA 200.8	439846		
10365090005	Train Station/Boys Room/Sink 2	EPA 200.8	439846		
10365090006	Train Station/Boys Room/Sink 3	EPA 200.8	439846		
10365090007	Train Station/Boys Room/Sink 4	EPA 200.8	439846		
10365090008	Train Station/Girl Rm/Sink 1	EPA 200.8	439846		
10365090009	Train Station/Girl Rm/Sink 2	EPA 200.8	439846		
10365090010	Train Station/Girl Rm/Sink 3	EPA 200.8	439846		
10365090011	Train Station/Girl Rm/Sink 4	EPA 200.8	439846		
10365090012	Boys Coaches Bath	EPA 200.8	439846		
10365090013	Boys Locker Room/ Left Sink	EPA 200.8	439846		
10365090014	Boys Locker Room/ Right Sink	EPA 200.8	439846		
10365090015	Girls Locker Room/ Left Sink	EPA 200.8	439846		
10365090016	Girls Locker Room/ Right Sink	EPA 200.8	439846		
10365090017	Girls Coaches Bath	EPA 200.8	439846		
10365090018	Room 142/ BS	EPA 200.8	439846		
10365090019	Acoustic Ave./ Girls Room	EPA 200.8	439846		
10365090020	Acoustic Ave./ Boys Room	EPA 200.8	439846		
10365090021	Wellness Way Gang Bath/ Sink 1	EPA 200.8	439847		
10365090022	Wellness Way Gang Bath/ Sink 2	EPA 200.8	439847		
10365090023	Wellness Way Gang Bath/ Sink 3	EPA 200.8	439847		
10365090024	Wellness Way Gang Bath/ Sink 4	EPA 200.8	439847		
10365090025	Wellness Way Gang Bath/ Sink 5	EPA 200.8	439847		
10365090026	Wellness Way Gang Bath/ Sink 6	EPA 200.8	439847		
10365090029	Room 105/ CS	EPA 200.8	439847		
10365090032	Room 102/ CS	EPA 200.8	439847		
10365090034	Room 106/ CS	EPA 200.8	439847		
10365090035	Room 108/ CS	EPA 200.8	439847		
10365090036	Room 110/ CS	EPA 200.8	439847		
10365090037	Room 111/ CS	EPA 200.8	439847		
10365090038	Lamont Lane/ Unisex Bath	EPA 200.8	439847		
10365090039	Library Storage/ Sink	EPA 200.8	439847		
10365090040	Room 112/ CS	EPA 200.8	439847		
10365090041	Room 113/ CS	EPA 200.8	439849		
10365090042	Room 115/ CS	EPA 200.8	439849		
10365090043	Room 116 B/ CS	EPA 200.8	439849		
10365090044	Room 116 A/ CS	EPA 200.8	439849		
10365090045	Cafe Court/ Gang Bath/ Sink 1	EPA 200.8	439849		
10365090046	Cafe Court/ Gang Bath/ Sink 2	EPA 200.8	439849		
10365090047	Cafe Court/ Gang Bath/ Sink 3	EPA 200.8	439849		
10365090048	Cafe Court/ Gang Bath/ Sink 4	EPA 200.8	439849		
10365090049	Cafe Court/ Gang Bath/ Sink 5	EPA 200.8	439849		
10365090050	Cafe Court/ Gang Bath/ Sink 6	EPA 200.8	439849		
10365090051	Room 134/ CS	EPA 200.8	439849		
10365090052	Room 118 A/ CS	EPA 200.8	439849		
10365090053	Room 118 B/ CS	EPA 200.8	439849		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Han CSD - Middle School

Pace Project No.: 10365090

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365090054	Room 121/ CS	EPA 200.8	439849		
10365090055	7th Ave./ Girls Room/ Sink 1	EPA 200.8	439849		
10365090056	7th Ave./ Girls Room/ Sink 2	EPA 200.8	439849		
10365090057	7th Ave./ Girls Room/ Sink 3	EPA 200.8	439849		
10365090058	7th Ave./ Girls Room/ Sink 4	EPA 200.8	439849		
10365090059	7th Ave./ Boys Room/ Sink 1	EPA 200.8	439849		
10365090060	7th Ave./ Boys Room/ Sink 2	EPA 200.8	439849		
10365090061	7th Ave./ Boys Room/ Sink 3	EPA 200.8	439850		
10365090062	7th Ave./ Boys Room/ Sink 4	EPA 200.8	439850		
10365090063	Nurses Office Sink	EPA 200.8	439850		
10365090064	Nurses Office Bath	EPA 200.8	439850		
10365090065	Room 128/ CS	EPA 200.8	439850		
10365090066	Room 129/ CS	EPA 200.8	439850		
10365090067	Room 130/ CS	EPA 200.8	439850		
10365090068	Room 131/ CS	EPA 200.8	439850		
10365090069	Room 132/ CS	EPA 200.8	439850		
10365090070	Room 133/ CS	EPA 200.8	439850		
10365090071	7th Ave./ Men Faculty Bath/ Si	EPA 200.8	439850		
10365090072	7th Ave./ Womens Faculty Bath	EPA 200.8	439850		
10365090073	Room 201/ CS	EPA 200.8	439850		
10365090074	Room 203/ CS	EPA 200.8	439850		
10365090075	Upstairs Faculty Breakroom	EPA 200.8	439850		
10365090076	Upstairs Womens Faculty Bath	EPA 200.8	439850		
10365090077	Upstairs Womens Faculty Bath	EPA 200.8	439850		
10365090078	Upstairs Mens Faculty Bath/ Ri	EPA 200.8	439850		
10365090079	Upstairs Mens Faculty Bath/ Le	EPA 200.8	439850		
10365090080	8th Ave/ Girls Room/ Sink 1	EPA 200.8	439850		
10365090081	8th Ave/ Girls Room/ Sink 2	EPA 200.8	439851		
10365090082	8th Ave/ Girls Room/ Sink 3	EPA 200.8	439851		
10365090083	8th Ave/ Girls Room/ Sink 4	EPA 200.8	439851		
10365090084	8th Ave/ Girls Room/ Sink 5	EPA 200.8	439851		
10365090085	8th Ave/ Sink 1	EPA 200.8	439851		
10365090086	8th Ave/ Sink 3	EPA 200.8	439851		
10365090087	8th Ave/ Sink 4	EPA 200.8	439851		
10365090088	8th Ave/ Sink 5	EPA 200.8	439851		
10365090089	Room 204/ CS	EPA 200.8	439851		
10365090090	Room 205/ CS	EPA 200.8	439851		
10365090091	Room 206/ CS	EPA 200.8	439851		
10365090092	Room 207/ CS	EPA 200.8	439851		
10365090093	Room 208/ CS	EPA 200.8	439851		
10365090094	Room 209/ CS	EPA 200.8	439851		
10365090095	Room 210/ CS	EPA 200.8	439851		
10365090096	Room 213/ CS	EPA 200.8	439851		
10365090097	Room 212/ CS	EPA 200.8	439851		
10365090027	Room 109/ CS	EPA 200.8	440200	EPA 200.8	440647
10365090028	Room 107/ CS	EPA 200.8	440200	EPA 200.8	440647
10365090030	Room 103/ CS	EPA 200.8	440200	EPA 200.8	440647

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Han CSD - Middle School

Pace Project No.: 10365090

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365090031	Room 101/ CS	EPA 200.8	440200	EPA 200.8	440647
10365090033	Room 104/ CS	EPA 200.8	440200	EPA 200.8	440647

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



10365090

<b>Section A</b> Required Client Information:	<b>Section B</b> Required Project Information:	<b>Section C</b> Invoice Information:
Company: Hannibal CSD	Report To:	Attention:
Address: 928 Cayuga St Hannibal, NY 13074	Copy To:	Company Name:
Email To: <a href="mailto:nhennet@hannibalcsd.org">nhennet@hannibalcsd.org</a>	Purchase Order No.:	Address:
Phone:	Project Name: Middle School	Pace Quote Reference:
Requested Due Date/TAT:	Project Number:	Pace Project Manager:

REGULATORY AGENCY

NPDES  GROUND WATER  DRINKING WATER

UST  RCRA  OTHER

SITE LOCATION

GA  IL  IN  MI  NC  
 OH  SC  WI  OTHER\_NY

ITEM #	Section D Required Client Information	VALID MATRIX CODES	MATRIX	CODE	SAMPLE TYPE	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requested Ane	Filtered (Y/N)	Pace Project No. Lab I.D.
						COMPOSITE START	COMPOSITE END/GRAB					
1	SAFETY Classroom Bath	DW	DW	G	DW G	9/26	60:36	1	Unpreserved	X		001
2	CONCESSION SINK	DW	DW	G	DW G		60:37	1	Unpreserved			002
3	CONCESSION ICE MACHINES	DW	DW	G	DW G		60:39	1	Unpreserved			003
4	TRASH STATION / BOYS RM / SINK 1	DW	DW	G	DW G		60:42	1	Unpreserved			004
5	TRASH STATION / BOYS RM / SINK 2	DW	DW	G	DW G		60:42	1	Unpreserved			005
6	TRASH STATION / BOYS RM / SINK 3	DW	DW	G	DW G		60:44	1	Unpreserved			006
7	TRASH STATION / BOYS RM / SINK 4	DW	DW	G	DW G		60:44	1	Unpreserved			007
8	TRASH STATION / GIRLS RM / SINK 1	DW	DW	G	DW G		60:46	1	Unpreserved			008
9	TRASH STATION / GIRLS RM / SINK 2	DW	DW	G	DW G		60:47	1	Unpreserved			009
10	TRASH STATION / GIRLS RM / SINK 3	DW	DW	G	DW G		60:47	1	Unpreserved			010
11	TRASH STATION / GIRLS RM / SINK 4	DW	DW	G	DW G		60:48	1	Unpreserved			011
12	BOYS COACHES BATH	DW	DW	G	DW G		60:49	1	Unpreserved			012

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS		
						Received on Ice	Custody Sealed	Cooler
<i>James Murphy</i>	9/26/16	17:00	<i>James Murphy</i>	10/6/16	10:15	Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N
						Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE: *James Murphy*

PRINT Name of SAMPLER: James Murphy - PACE Analytical

SIGNATURE of SAMPLER: *James Murphy*

DATE Signed (MM/DD/YY): 9/26/16

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



**Section A** Required Client Information:  
 Company: Hannibal CSD  
 Address: 928 Cayuga St  
 Hannibal, NY 13074  
 Email To: rhennet@hannibalcsd.org  
 Phone: [ ] Fax: [ ]  
 Requested Due Date/TAT: [ ]

**Section B** Required Project Information:  
 Report To: [ ] Copy To: [ ]  
 Purchase Order No.: [ ]  
 Project Name: Middle School  
 Project Number: [ ]

**Section C** Invoice Information:  
 Attention: [ ] Company Name: [ ]  
 Address: [ ]  
 Face Quote References: [ ]  
 Face Project Manager: [ ]  
 Pace Profile #: [ ]

**REGULATORY AGENCY**  
 NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER [ ]

**SITE LOCATION**  
 GA  IL  IN  MI  NC  
 OH  SC  WI  OTHER NY

# ITEMS	Section D Required Client Information	Valid Matrix Codes	Matrix	Sample ID (A-Z, 0-9 / -)	Sample IDs MUST BE UNIQUE	Matrix Code	Sample Type	COLLECTED		# OF CONTAINERS	PRESERVATIVES						Filtered (Y/N)	Requested Amt	Pace Project No. Lab ID.
								COMPOSITE START DATE	COMPOSITE END DATE		Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	NaOH	Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>			
1		DW	G	BOYS LOCKER ROOM / LEFT SINK		DW	G	9/07 00:57	00:57	1								013	
2		DW	G	BOYS LOCKER ROOM / RIGHT SINK		DW	G	00:53		1								014	
3		DW	G	GIRLS LOCKER ROOM / LEFT SINK		DW	G	00:54		1								015	
4		DW	G	GIRLS LOCKER ROOM / RIGHT SINK		DW	G	00:54		1								016	
5		DW	G	GIRLS COACHES BATH		DW	G	00:52		1								017	
6		DW	G	ROOM 142 / BS		DW	G	00:57		1								018	
7		DW	G	ACADEMIC AVE. / GIRLS RM		DW	G	00:58		1								019	
8		DW	G	ACADEMIC AVE. / BOYS RM		DW	G	00:59		1								020	
9		DW	G	WELLNESS WAY / SINK 1		DW	G	1:01		1								021	
10		DW	G	WELLNESS WAY / SINK 2		DW	G	1:01		1								022	
11		DW	G	WELLNESS WAY / SINK 3		DW	G	1:03		1								023	
12		DW	G	WELLNESS WAY / SINK 4		DW	G	1:04		1								024	

**ADDITIONAL COMMENTS**  
 BS = BATHROOM SINK

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>[Signature]</i>	10/13/16	17:00	<i>[Signature]</i>	10/16/16	10:15	Y N Y N Y N Y N Y N Y N Y N Y N Y N Y N Y N
						Temp in °C Received on Ice Custody Sealed Cooler Samples Intact

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: James Murphy - PACE Analytical  
 SIGNATURE of SAMPLER: *[Signature]* DATE Signed (MM/DD/YY):



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A**  
Required Client Information:

Company: Hannibal CSD  
Address: 928 Cayuga St  
Hannibal, NY 13074  
Email To: rhenner@hannibalcsd.org  
Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Requested Due Date/TAT: \_\_\_\_\_

**Section B**  
Required Project Information:

Report To: \_\_\_\_\_  
Copy To: \_\_\_\_\_  
Purchase Order No.: \_\_\_\_\_  
Project Name: Middle School  
Project Number: \_\_\_\_\_

**Section C**  
Invoice Information:

Attention: \_\_\_\_\_  
Company Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
Pace Quote Reference: \_\_\_\_\_  
Pace Project Manager: \_\_\_\_\_  
Pace Profile #: \_\_\_\_\_

**REGULATORY AGENCY**

NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER \_\_\_\_\_

**SITE LOCATION**

GA  IL  IN  MI  NC  
 OH  SC  WI  OTHER\_NY \_\_\_\_\_

Filtered (Y/N) \_\_\_\_\_

ITEM #	SAMPLE ID (A-Z, 0-9, -)	Valid Matrix Codes DRINKING WATER WATER WASTE WATER PRODUCT SOLID LIQUID OTHER AIR OTHER TISSUE	MATRIX CODE	COLLECTED		SAMPLE TYPE	G-RAB C-COMP	COLLECTION		# OF CONTAINERS	PRESERVATIVES						Requested Date	Pace Project No. Lab I.D.
				COMPOSITE START	COMPOSITE END/GRAB			DATE	TIME		H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	NaOH	Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	Methanol		
1	WAINESS WAY GANG BATH / SINK 3		DW	G	9/27	1:04				1								025
2	WAINESS WAY GANG BATH / SINK 6		DW	G		1:05				1								026
3	Room 109/CS		DW	G		1:06				1								027
4	Room 107/CS		DW	G		1:06				1								028
5	Room 105/CS		DW	G		1:07				1								029
6	Room 103/CS		DW	G		1:07				1								030
7	Room 101/CS		DW	G		1:09				1								031
8	Room 102/CS		DW	G		1:10				1								032
9	Room 104/CS		DW	G		1:10				1								033
10	Room 106/CS		DW	G		1:11				1								034
11	Room 108/CS		DW	G		1:12				1								035
12	Room 110/CS		DW	G		1:13				1								036

**REQUINISHED BY / AFFILIATION**      **DATE**      **TIME**      **ACCEPTED BY / AFFILIATION**      **DATE**      **TIME**      **SAMPLE CONDITIONS**

ANNY PACE 10/16/16 17:00 BA MA Pace 10/16/16 10:15

**ADDITIONAL COMMENTS**

CS = CLASSROOM SINK

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: James Murphy - PACE Analytical  
 SIGNATURE of SAMPLER: *James Murphy*      DATE Signed (MM / DD / YY): 9/27/16



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A**  
 Required Client Information:  
 Company: Hammibal CSD  
 Address: 928 Cayuga St  
 Hammibal, NY 13074  
 Email To: [rhennner@hammibalcsd.org](mailto:rhennner@hammibalcsd.org)  
 Phone: \_\_\_\_\_  
 Fax: \_\_\_\_\_

**Section B**  
 Required Project Information:  
 Report To: \_\_\_\_\_  
 Copy To: \_\_\_\_\_  
 Purchase Order No.: \_\_\_\_\_  
 Project Name: Middle School  
 Project Number: \_\_\_\_\_

**Section C**  
 Invoices Information:  
 Attention: \_\_\_\_\_  
 Company Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Pace Quote Reference: \_\_\_\_\_  
 Pace Project Manager: \_\_\_\_\_  
 Pace Profile #: \_\_\_\_\_

**REGULATORY AGENCY**

NPDES  GROUND WATER  DRINKING WATER

UST  RCRA  OTHER \_\_\_\_\_

**SITE**  
 GA  IL  IN  MI  NC

**LOCATION**  
 OH  SC  WI  OTHER\_NY \_\_\_\_\_

ITEM #	Section D Required Client Information	Matrix Code	Matrix	Sample ID (A-Z, 0-9 / -)	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requested	Filtered (Y/N)	Pace Project No. Lab I.D.
					COMPOSITE START	COMPOSITE END/GRAB					
1	ROOM 111 / CS	DW	G	9/22	1:14	1	(Unpreserved)	X			037
2	LAMOUNT LANE / UNISEX BATH	DW	G		1:14	1	HNO <sub>3</sub>				038
3	LEISERLY STORAGE / SINK	DW	G		1:15	1	HNO <sub>3</sub>				039
4	ROOM 112 / CS	DW	G		1:16	1	HNO <sub>3</sub>				040
5	ROOM 113 / CS	DW	G		1:16	1	HNO <sub>3</sub>				041
6	ROOM 115 / CS	DW	G		1:17	1	HNO <sub>3</sub>				042
7	ROOM 116 / CS	DW	G		1:19	1	HNO <sub>3</sub>				043
8	ROOM 116 A / CS	DW	G		1:20	1	HNO <sub>3</sub>				044
9	CAFE COVER / GANG BATH / SINK 1	DW	G		1:23	1	HNO <sub>3</sub>				045
10	CAFE COVER / GANG BATH / SINK 2	DW	G		1:23	1	HNO <sub>3</sub>				046
11	CAFE COVER / GANG BATH / SINK 3	DW	G		1:24	1	HNO <sub>3</sub>				047
12	CAFE COVER / GANG BATH / SINK 4	DW	G		1:24	1	HNO <sub>3</sub>				048

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	<i>James Murphy</i>	10/6/16	17:00	<i>James Murphy</i>	10/6/16	10:15	Y/N Y/N Y/N Y/N Y/N Y/N Y/N Y/N

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: James Murphy - PACE Analytical  
 SIGNATURE of SAMPLER: *James Murphy*  
 DATE Signed (MM / DD / YY): 9/27/16

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

REGULATORY AGENCY  
 NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER \_\_\_\_\_

Section A  
 Required Client Information:  
 Company: Hannibal CSD  
 Address: 928 Cayuga St  
 Hannibal, NY 13074  
 Email To: rhenner@hannibalcsd.org  
 Phone: \_\_\_\_\_  
 Requested Due Date/TAT: \_\_\_\_\_

Section B  
 Required Project Information:  
 Report To: \_\_\_\_\_  
 Copy To: \_\_\_\_\_  
 Purchase Order No.: \_\_\_\_\_  
 Project Name: Middle School  
 Project Number: \_\_\_\_\_

Section C  
 Invoice Information:  
 Attention: \_\_\_\_\_  
 Company Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Face Quote Reference: \_\_\_\_\_  
 Face Project Manager: \_\_\_\_\_  
 Face Profile #: \_\_\_\_\_

ITEM #	Valid Matrix Codes MATRIX DRINKING WATER WASTE WATER SOLID OIL SLURRY OTHER TISSE	SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	MATRIX CODE	SAMPLE TYPE	COLLECTED		# OF CONTAINERS	PRESERVATIVES						Requested Analyte	Face Project No. Lab I.D.	
					COMPOSITE START	COMPOSITE END		Unpreserved	H <sub>2</sub> O <sub>2</sub>	HNO <sub>3</sub>	HCl	NaOH	Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>			Methanol
1		CAFE COURT/GANG BATH / SINK 5	DW	G	9/27	1:26	1									049
2		CAFE COURT/GANG BATH / SINK 6	DW	G	1:26		1									050
3		ROOM 134 / CS	DW	G	1:28		1									051
4		ROOM 118A / CS	DW	G	1:30		1									052
5		ROOM 118B / CS	DW	G	1:30		1									053
6		ROOM 121 / CS	DW	G	1:31		1									054
7		7TH AVE / GYELS ROOM / SINK 1	DW	G	1:34		1									055
8		7TH AVE / GYELS ROOM / SINK 2	DW	G	1:34		1									056
9		7TH AVE / GYELS ROOM / SINK 3	DW	G	1:35		1									057
10		7TH AVE / GYELS ROOM / SINK 4	DW	G	1:36		1									058
11		7TH AVE / BONS ROOM / SINK 1	DW	G	1:37		1									059
12		7TH AVE / BONS ROOM / SINK 2	DW	G	1:37		1									060

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>Jammy PACE</i>	10/16/16	17:00	<i>JM PACE</i>	10/16/16	10:15	Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N
						Y/N Y/N Y/N Y/N Y/N Y/N

ADDITIONAL COMMENTS

Temp In C. \_\_\_\_\_  
 Received on Ice \_\_\_\_\_  
 Custody Sealed \_\_\_\_\_  
 Samples Intact \_\_\_\_\_

SAMPLER NAME AND SIGNATURE  
 PRINT Name of SAMPLER: James Murphy - PACE Analytical  
 SIGNATURE of SAMPLER: *Jammy*  
 DATE Signed (MM/DD/YYYY): 9/27/16





# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: **6** of **89**

**Section A**  
 Required Client Information:  
 Company: **Hannibal CSD**  
 Address: **928 Cayuga St**  
**Hannibal, NY 13074**  
 Email To: **nhanner@hannibalcsd.org**  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

**Section B**  
 Required Project Information:  
 Report To: \_\_\_\_\_  
 Copy To: \_\_\_\_\_  
 Purchase Order No.: \_\_\_\_\_  
 Project Name: **Middle School**  
 Project Number: \_\_\_\_\_

**Section C**  
 Invoice Information:  
 Attention: \_\_\_\_\_  
 Company Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Pace Quote Reference: \_\_\_\_\_  
 Pace Project Manager: \_\_\_\_\_  
 Pace Profile #: \_\_\_\_\_

**REGULATORY AGENCY**  
 NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER \_\_\_\_\_

**SITE**  
 GA  IL  IN  MI  NC  
 OH  SC  WI  OTHER NY

**LOCATION**  
 Filtered (Y/N) \_\_\_\_\_

# ITEM	Section D Required Client Information	Valid Matrix Codes	MATRIX	CODE	MATRIX CODE	SAMPLE TYPE	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requested Analyte	Face Project No. Lab I.D.
							COMPOSITE START	COMPOSITE END/GRAB				
	SAMPLE ID (A-Z, 0-9 / -)		DRINKING WATER WASTE WATER PRODUCT LIQUID SOLID WPE AS TSBIE				DATE	TIME				
1	7TH AVE./BOYS ROOM/SENK 3	DW	G	DW G	G	9/27	1:39	1	Unpreserved	X	061	
2	7TH AVE./BOYS ROOM/SENK 4	DW	G	DW G	G	1:39	1:40	1	H2SO4		062	
3	NURSES OFFICE SENK	DW	G	DW G	G	1:41		1	HNO3		063	
4	NURSES OFFICE BATH	DW	G	DW G	G	1:42		1	HCl		064	
5	ROOM 128/CS	DW	G	DW G	G	1:43		1	NaOH		065	
6	ROOM 129/CS	DW	G	DW G	G	1:44		1	Na2SO3		066	
7	ROOM 130/CS	DW	G	DW G	G	1:45		1	Na2SO4		067	
8	ROOM 131/CS	DW	G	DW G	G	1:46		1	Methanol		068	
9	ROOM 132/CS	DW	G	DW G	G	1:46		1			069	
10	ROOM 133/CS	DW	G	DW G	G	1:46		1			070	
11	7TH AVE./MEN FACULTY BATH/SENK	DW	G	DW G	G	1:47		1			071	
12	7TH AVE./WOMENS FACULTY BATH/SENK	DW	G	DW G	G	1:49		1			072	

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>James PACE</i>	10/13/16	17:00	<i>James PACE</i>	10/16/16	10:15	Received on Ice Y/N Custody Sealed Y/N Cooler Y/N Samples Intact Y/N

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: **James Murphy - PACE Analytical**  
 SIGNATURE of SAMPLER: *James PACE*  
 DATE Signed (MM / DD / YY): **9/27/16**

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



**Section A**  
Required Client Information:  
Company: Hannibal CSD  
Address: 928 Cayuga St  
Hannibal, NY 13074  
Email To: rhenner@hannibalcsd.org  
Phone: \_\_\_\_\_  
Requested Due Date/TAT: \_\_\_\_\_

**Section B**  
Required Project Information:  
Report To: \_\_\_\_\_  
Copy To: \_\_\_\_\_  
Purchase Order No.: \_\_\_\_\_  
Project Name: Middle School  
Project Number: \_\_\_\_\_

**Section C**  
Invoice Information:  
Attention: \_\_\_\_\_  
Company Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
Pace Quote Reference: \_\_\_\_\_  
Pace Project Manager: \_\_\_\_\_  
Pace Profile #: \_\_\_\_\_

**REGULATORY AGENCY**

NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER \_\_\_\_\_

**SITE**  GA  IL  IN  MI  NC  
**LOCATION**  OH  SC  WI  OTHER\_NY \_\_\_\_\_

ITEM #	Section D Required Client Information <b>SAMPLE ID</b> (A-Z, 0-9 / , -) Sample IDs MUST BE UNIQUE	Valid Matrix Codes MATRIX DW DRINKING WATER WWT WASTEWATER P PESTICIDE S SOLID SL SLUDGE L LIQUID A AERIAL D DUST	MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requested Ant	Filtered (Y/N)	Temp in C	Received on Ice	Custody Sealed	Samples Intact
					COMPOSITE START	COMPOSITE END/GRAB								
1	ROOM 201/CS		DW	G	DATE: 9/22	TIME: 1:53	1	H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub> HCl NaOH Na <sub>2</sub> CO <sub>3</sub> Methanol Na <sub>2</sub> SO <sub>4</sub>	X		073			
2	ROOM 203/CS		DW	G		1:53	1				074			
3	UPSTAIRS FACULTY BREAK ROOM		DW	G		1:54	1				075			
4	UPSTAIRS WOMENS FACULTY BATH/LEFT SINK		DW	G		1:56	1				076			
5	UPSTAIRS WOMENS FACULTY BATH/RIGHT SINK		DW	G		1:57	1				077			
6	UPSTAIRS WENS FACULTY BATH/RIGHT SINK		DW	G		1:58	1				078			
7	UPSTAIRS MEALS FACULTY BATH / LEFT SINK		DW	G		1:58	1				079			
8	8TH AVE/ GIRLS ROOM/ SINK 1		DW	G		2:03	1				080			
9	8TH AVE/ GIRLS ROOM/ SINK 2		DW	G		2:04	1				081			
10	8TH AVE/ GIRLS ROOM/ SINK 3		DW	G		2:04	1				082			
11	8TH AVE/ GIRLS ROOM/ SINK 4		DW	G		2:04	1				083			
12	8TH AVE/ GIRLS ROOM/ SINK 5		DW	G		2:04	1				084			

**ADDITIONAL COMMENTS**

9/22 by ANE 10/16/14 10:15  
 9/22 by ANE 17:00 BA Th Pace

**ACCEPTED BY / AFFILIATION** BA Th Pace

**DATE** 10/16/14

**TIME** 10:15

**RELINQUISHED BY / AFFILIATION** ANE

**DATE** 9/22/14

**TIME** 17:00

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: James Murphy - PACE Analytical  
 SIGNATURE of SAMPLER: *James Murphy*

**DATE Signed (MM/DD/YY):** 9/22/14

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Page: **8** of **89**

**Section A**  
**Required Client Information:**  
 Company: **Hannibal CSD**  
 Address: **928 Cayuga St**  
**Hannibal, NY 13074**  
 Email To: **nihenner@hannibalcsd.org**  
 Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
 Requested Due Date/TAT: \_\_\_\_\_

**Section B**  
**Report To:** \_\_\_\_\_  
 Copy To: \_\_\_\_\_  
 Purchase Order No.: \_\_\_\_\_  
 Project Name: **Middle School**  
 Project Number: \_\_\_\_\_

**Section C**  
**Invoice Information:**  
 Attention: \_\_\_\_\_  
 Company Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Pace Quote Reference: \_\_\_\_\_  
 Pace Project Manager: \_\_\_\_\_  
 Pace Profile #: \_\_\_\_\_

**REGULATORY AGENCY**

NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER \_\_\_\_\_

**SITE LOCATION**

GA  IL  IN  MI  NC  
 OH  SC  WI  OTHER NY

ITEM #	Section D Required Client Information	Valid Matrix Codes	MATRIX CODE	SAMPLE TYPE	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requested Analyte	Filtered (Y/N)	Pace Project No. Lab I.D.
					COMPOSITE START	COMPOSITE END/GRAB					
			DATE	TIME	DATE	TIME					
1	8TH AVE / SINK 1	DW	G	9/27	2:08	1	Unpreserved		X		0855
2	8TH AVE / SINK 3	DW	G	2:10		1					0860
3	8TH AVE / SINK 4	DW	G	2:10		1					0887
4	8TH AVE / SINK 5	DW	G	2:11		1					0888
5	ROOM 204/CS	DW	G	2:11		1					0889
6	ROOM 205/CS	DW	G	2:12		1					090
7	ROOM 206/CS	DW	G	2:12		1					091
8	ROOM 207/CS	DW	G	2:13		1					092
9	ROOM 208/CS	DW	G	2:14		1					093
10	ROOM 209/CS	DW	G	2:15		1					094
11	ROOM 210/CS	DW	G	2:16		1					095
12	ROOM 213/CS	DW	G	2:16		1					096

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION		ACCEPTED BY / AFFILIATION		SAMPLE CONDITIONS	
	DATE	TIME	DATE	TIME	Received on Ice	Cooler
CS = CLASSROOM SINK	9/27/16	17:00	PA PA PA	10/4/16	Y/N	Y/N
8TH AVE SINK 2 NOT WORKING					Y/N	Y/N

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: **James Murphy - PACE Analytical**  
 SIGNATURE of SAMPLER: *James Murphy*  
 DATE Signed (MM/DD/YY): **9/27/16**

Temp in °C: \_\_\_\_\_  
 Received on Ice: Y/N  
 Custody Sealed: Y/N  
 Samples Intact: Y/N

# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



### Section A

Required Client Information:

Company: Hannibal CSD  
 Address: 928 Cayuga St  
 Hannibal, NY 13074  
 Email To: [nhenner@hannibalcsd.org](mailto:nhenner@hannibalcsd.org)  
 Phone: \_\_\_\_\_  
 Project Name: Middle School  
 Project Number: \_\_\_\_\_  
 Project Profile #: \_\_\_\_\_

### Section B

Required Project Information:

Report To: \_\_\_\_\_  
 Copy To: \_\_\_\_\_  
 Purchase Order No.: \_\_\_\_\_  
 Project Name: Middle School  
 Project Profile #: \_\_\_\_\_

### Section C

Invoice Information:

Attention: \_\_\_\_\_  
 Company Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Pace Quote Reference: \_\_\_\_\_  
 Pace Project Manager: \_\_\_\_\_  
 Pace Profile #: \_\_\_\_\_

### REGULATORY AGENCY

NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER \_\_\_\_\_

SITE  GA  IL  IN  MI  NC  
 LOCATION  OH  SC  WI  OTHER NY

ITEM #	Section D Required Client Information	Valid Matrix Codes	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requester Name	Filtered (Y/N)	Pace Project No. Lab I.D.
			COMPOSITE START	COMPOSITE END/GRAB					
1	Room 212 / CS	DW G	DATE: 9/27	TIME: 2:17	1	Unpreserved H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub> HCl NaOH Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> Methanol MnSO <sub>4</sub>	X	097	
2		DW G			1				
3		DW G			1				
4		DW G			1				
5		DW G			1				
6		DW G			1				
7		DW G			1				
8		DW G			1				
9		DW G			1				
10		DW G			1				
11		DW G			1				
12		DW G			1				


ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	James Pace	10/16/16	11:00	Edith Pace	10/16/16	1015	Received on Ice Temp in °C Custody Sealed Cooler Samples Intact

SAMPLER NAME AND SIGNATURE  
 PRINT Name of SAMPLER: James Murphy - PACE Analytical  
 SIGNATURE of SAMPLER: \_\_\_\_\_  
 DATE Signed (MM/DD/YY): \_\_\_\_\_

**Sample Condition Upon Receipt**

Client Name: NY Schools Project #: \_\_\_\_\_

**WO# : 10365090**



10365090

Courier:  Fed Ex  UPS  USPS  Client  
 Commercial  Pace  SpeeDee  Other: \_\_\_\_\_  
 Tracking Number: See exception

Custody Seal on Cooler/Box Present?  Yes  No Seals intact?  Yes  No **Optional:** Proj. Due Date: \_\_\_\_\_ Proj. Name: \_\_\_\_\_

Packing Material:  Bubble Wrap  Bubble Bags  None  Other: \_\_\_\_\_ Temp Blank?  Yes  No

Thermometer  151401163  B88A912167504  B88A0143310098  
 Used:  151401164  B88A0143310098 Type of Ice:  Wet  Blue  None  Samples on ice, cooling process has begun

Cooler Temp Read (°C): \_\_\_\_\_ Cooler Temp Corrected (°C): See exception Biological Tissue Frozen?  Yes  No  N/A  
 Temp should be above freezing to 6°C Correction Factor: +0.2 Date and Initials of Person Examining Contents: BSM 10/6/14

USDA Regulated Soil (  N/A, water sample)  
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)?  Yes  No  
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WS</u>	
All containers needing acid/base preservation have been checked? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl<2; NaOH >9 Sulfide, NaOH >12 Cyanide) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample # <u>17</u> <u>01-97</u>
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

**CLIENT NOTIFICATION/RESOLUTION**

Field Data Required?  Yes  No

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

**Project Manager Review:** \_\_\_\_\_

Date: 10/07/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office ( i.e out of hold, incorrect preservative, out of temp, incorrect containers).

SCUR Exceptions: *Tracking*

*Temp °C*

Workorder #:

<u>Issue</u>	<u>Sample ID</u>	<u>Container Type/#</u>
7774 0281 2710	18.2	
11 0214 3022	18.8	
11 11 2643	18.3	
11 11 2702	18.3	
11 11 2253	18.2	
4 4 2231	18.6	
11 11 2530	18.1	

**pH Adjustment Log for Preserved Samples**

Sample ID	Type of Preservative	pH Upon Receipt	Date Preservation Adjusted	Time Preservation Adjusted	Amount of Additional Preservative Added	Lot # of Preservative Added	pH After Adjustment	Initials